GRZ – General residential zone

The relevant district-wide chapter provisions apply in addition to this chapter.

Purpose

The purpose of the GRZ – General residential zone is to provide predominantly for residential activities with a mix of building types, and other compatible activities. The zone applies to the residential areas within the District's main towns (Tuakau, Pokeno, Te Kauwhata, Raglan, Huntly and Ngaaruawaahia) and the smaller towns (Meremere, Taupiri, Gordonton, Horotiu, Te Kowhai, Whatawhata, Matangi and Rangiriri).

Objectives

GRZ-OI	Residential character.
	The low-density residential character of the zone is maintained.
GRZ-O2	Residential built form and amenity.
	Maintain neighbourhood residential amenity values and facilitate safety in the zone.
GRZ-O3	On-site residential amenity.
	Maintain amenity values within and around dwellings and sites in the zone.
GRZ-O4	Housing options.
	A range of housing options occurs in the zone to meet the needs of the community in a suburban setting.
GRZ-O5	Maintain residential purpose.
	Residential activities remain the dominant activity in the zone.
GRZ-O6	Adverse effects of land use and development.
	The health, safety and well-being of people, communities and the environment are protected from the adverse effects of land use and development.
Policies	
GRZ-PI	Character.
(1)	Ensure residential development in the zone:
	(a) Provides road patterns that follow the natural contour of the landform;
	(b) Promotes views and vistas from public spaces of the hinterland beyond; and
	(c) Is an appropriate scale and intensity, and setback from the road frontages to provide sufficient open space for the planting of trees and private gardens.
GRZ-P2	Front setback.
(1)	Ensure buildings are designed and set back from roads by:

- (a) Maintaining the existing street character including the predominant building setback from the street;
- (b) Allowing sufficient space for the establishment of gardens and trees on the site; and
- (c) Providing for passive surveillance to roads and avoiding windowless walls to the street.
- GRZ-P3 Setback side boundaries.
- (1) Require development to have sufficient side boundary setbacks to provide for:
 - (a) Planting;
 - (b) Privacy; and
 - (c) Sunlight and daylight.
- (2) Reduced side boundary setbacks occur only where it:
 - (a) Enables effective development of sites where on-site topographic constraints occur; or
 - (b) Retains trees on the site.
- GRZ-P4 Height.

Ensure building height is complementary to the low rise character of the zone.

- GRZ-P5 Site coverage and permeable surfaces.
- Ensure all sites have sufficient open space to provide for landscaping, on-site stormwater disposal, parking, and vehicles manoeuvring by maintaining maximum site coverage requirements for buildings in the zone.
- (2) Ensure a proportion of each site is maintained in permeable surfaces in order to ensure there is sufficient capacity to enable disposal of stormwater.
- GRZ-P6 Building scale.

Facilitate quality development by ensuring buildings are a complementary height, bulk and form for the site, and are in keeping with the amenity values of the street.

- GRZ-P7 Reverse sensitivity.
- (1) Avoid or minimise the potential for reverse sensitivity by managing the location and design of sensitive activities through:
 - (a) The use of building setbacks;
 - (b) The design of subdivisions and development; and
 - (c) Acoustic insulation requirements for noise sensitive activities.
- GRZ-P8 Daylight and outlook.
- (1) Maintain adequate daylight and enable opportunities for passive solar gain.
- (2) Require the height, bulk and location of development to maintain sunlight access and privacy, and to minimise visual dominance effects on adjoining sites.

- (3) Maintain and enhance attractive open space character of residential areas by ensuring that development is compatible in scale to surrounding activities and structures and has on-site landscaping, screening and street planting.
- GRZ-P9 Outdoor living space residential units.

Require outdoor living spaces to be accessible and usable.

GRZ-PI0 Outdoor living space – retirement villages.

Require outdoor living spaces or communal outdoor living spaces to be usable and accessible.

GRZ-PII Housing types.

Enable a variety of housing types in the zone where it is connected to public reticulation, including minor residential units and retirement villages.

- GRZ-P12 Retirement villages.
- (1) Provide for the establishment of new retirement villages and care facilities that:
 - (a) Offer a diverse range of housing types, including care facilities, for the particular needs and characteristics of older people;
 - (b) Promote visual integration with the street scene, neighbourhoods and adjoining sites;
 - Are comprehensively designed and managed and offer a variety of accommodation and accessory services that meet the needs of residents, including those requiring care or assisted living;
 - (d) Recognise that housing and care facilities for older people can require higher densities;
 - (e) Provide high quality on-site amenity;
 - (f) Integrate with local services and facilities, including public transport; and
 - (g) Connect to alternative transport modes to the LLRZ Large lot residential zone, SETZ – Settlement zone, MRZ – Medium density residential zone, GRZ – General residential zone, TCZ – Town centre zone, LCZ – Local centre zone or COMZ – Commercial zone.
- (2) Enable alterations and additions to existing retirement villages that:
 - (a) Promote visual integration with the street scene, neighbourhoods and adjoining sites;
 - (b) Recognise that housing and care facilities for older people can require higher densities;
 - (c) Provide high quality on-site amenity; and
 - (d) Integrate with local services and facilities, including public transport and alternative transport modes.

GRZ-PI3 Maintain residential purpose.

Restrict the establishment of commercial or industrial activities, unless the activity has a strategic or operational need to locate within a residential zone, and the effects of such activities on the character and amenity of residential zones are insignificant.

GRZ-PI4 Bankart Street and Wainui.

Provide for the ongoing change in the mixture of residential and commercial activities bordering identified commercial areas at Raglan.

- GRZ-P15 Non-residential activities.
- (1) Maintain the zone for residential activities by:
 - (a) Ensuring the number of non-residential activities are not dominant within a residential block;
 - (b) Ensuring non-residential activities are in keeping with the scale and intensity of development anticipated by the zone and contribute to the amenity of the neighbourhood;
 - (c) Enabling non-residential activities that provide for the health, safety and wellbeing of the community and that service or support an identified local need;
 - (d) Avoiding the establishment of new non-residential activities on rear sites, or sites located on cul-de-sacs, or that have access to national routes, regional arterial roads and arterial roads; and
 - (e) Ensuring that the design and scope of non-residential activities and associated buildings:
 - Maintain residential character including the scale and design of buildings and their location on the site, and on-site parking and vehicle manoeuvring areas; and
 - (ii) Mitigate adverse effects related to traffic generation, access, noise, vibration, outdoor storage of materials and light spill, to the extent that they minimise adverse effects on residential character and amenity and the surrounding transport network.
- (2) Enable existing non-residential activities to continue and support their redevelopment and expansion provided they do not have a significant adverse effect on the character and amenity of the zone.
- GRZ-PI6 Home businesses.
- (1) Provide for home businesses to allow flexibility for people to work from their homes.
- (2) Manage the adverse effects on residential amenity through limiting home businesses to a scale that is compatible with the level of amenity anticipated in the residential environment.
- GRZ-P17 Neighbourhood centres in structure plan areas.
- (1) Provide for new neighbourhood centres within structure plan areas or master plan areas, that:
 - (a) Are for the daily retail and service needs of the community; and

- (b) Are located within a walkable catchment.
- GRZ-P18 Outdoor storage.

(a) The adverse visual effects of outdoor storage are mitigated through screening or landscaping.

- GRZ-P19 Objectionable odour.
- (1) Ensure that the effects of objectionable odour do not detract from the amenity of other sites.
- (2) Maintain appropriate setback distances between new sensitive land uses and existing lawfully established activities that generate objectionable odour.

Rules

Land use – activities

In addition to the activity-specific standards listed below, permitted activities must also comply with all relevant Land-use effects standards and Land-use building standards in this chapter, as well as the standards in Part 2 / District-wide matters / General district-wide matters.

GRZ-RI	Residential activity, unless speci	fied below
	This includes occupation of a si	ngle residential unit for short term rental.
(I) Activity s	tatus: PER	(2) Activity status where compliance not
Activity-spec	ific standards:	achieved: n/a
Nil.		
GRZ-R2	A new retirement village or alte	rations to an existing retirement village
(I) Activity st	tatus: PER	(2) Activity status where compliance not
Activity-spec	ific standards:	achieved: DIS
the retiru located h 3ha; (b) The site 400m wa transpor (c) The site wastewa (d) Minimun balcony a (i) Apart	or combination of sites where ement village is proposed to be has a minimum net site area of is either serviced by or within alking distance of public t; is connected to public water and ter infrastructure; in outdoor living space or area and dimensions: ment – 10m ² area with minimum asion horizontal and vertical of	
 2.5m; (ii) Studio unit or 1 bedroom unit – 12.5m² area with minimum dimension horizontal and vertical of 2.5m; or 		
 (iii) 2 or more bedroomed unit – 15m² area with minimum dimension horizontal and vertical of 2.5m; 		
(e) Minimun	n service court is either:	

(i) Apartment – Communal outdoor	
space (ie no individual service courts	
required); or	
(ii) All other units – 10m ² for each unit;	
(f) Building height does not exceed 8m,	
measured from the natural ground level	
immediately below the structure, except	
for 15% of the total building coverage,	
where buildings may be up to 10m high;	
and	
(g) The following land use – building	
standards do not apply:	
(i) GRZ-S2 (Residential units);	
(ii) GRZ-S4 – GRZ-S6 (Building Height);	
(iii) GRZ-S14 – GRZ-S15 (Outdoor living	
space);	
(iv) GRZ-S16 (Service Court).	
GRZ-R3 Home business	l
(I) Activity status: PER	(2) Activity status where compliance not
	achieved: DIS
Activity-specific standards:	
(a) It is wholly contained within a building;	
(b) The storage of materials or machinery associated with the home business are	
either wholly contained within a building	
or are screened so as not to be visible	
from a public road or neighbouring	
residential property;	
(c) No more than 2 people who are not	
permanent residents of the site are	
employed at any one time;	
(d) Unloading and loading of vehicles or the	
receiving of customers or deliveries only	
occur between 7:30am and 7:00pm on	
any day;	
(e) Machinery may only be operated	
between 7:30am and 9pm on any day.	
GRZ-R4 Community facility	
(I) Activity status: PER	(2) Activity status where compliance not
Activity-specific standards:	achieved: n/a
Nil.	
GRZ-R5 Neighbourhood park	
(I) Activity status: PER	(2) Activity status where compliance not
Activity-specific standards:	achieved: n/a
Nil.	
GRZ-R6 Home stay	
(I) Activity status: PER	(2) Activity status where compliance not
Activity-specific standards:	achieved: DIS
(a) No more than 4 temporary residents.	
GRZ-R7 Neighbourhood centre	

(I) Activity st	atus: PER	(2) Activity status where compliance not
Activity-specific standards:		achieved: DIS
Council a Master Pla	vithin an area identified in a pproved Structure Plan or an.	
GRZ-R8	Commercial activity	
(I) Activity st	atus: PER	(2) Activity status where compliance not
Activity-specif	fic standards:	achieved: DIS
· · /	vithin the Bankart Street and oad Business Overlay Area.	
GRZ-R9	Childcare facility	
(I) Activity sta	atus: PER	(2) Activity status where compliance not
Activity-specif	fic standards:	achieved: DIS
	4 children that are not at residents of the household	
GRZ-RI0	Buildings, structures and sensitivities existing as of 18 July 2018	ve land uses within the National Grid Yard in
(I) Activity sta		(2) Activity status where compliance not
Activity-specif		achieved: NC
7 1	e National Grid Yard:	
()	g alterations and additions to an	
.,	g building or structure for a	
sensiti	ve land use that does not	
	e an increase in the building or footprint;	
buildin	or additions to existing gs or structures that are not ensitive land use;	
 (iii) Infrastructure (other than for the reticulation and storage of water for irrigation purposes) undertaken by a network utility operator as defined in the Resource Management Act 1991 (iv) Fences less than 2.5m in height, measured from the natural ground 		
(b) All buildir	nmediately below. ngs or structures permitted by [-RI0(I)(a) must:	
 (i) Comply with the New Zealand Electrical Code of Practice for Electrical Safe Distances 34:2001 ISSN 0114-0663 under all National Grid transmission line operating conditions; and 		
outer Natior associa	e a minimum of 12m from the visible foundation of any nal Grid support structure and ated stay wire, unless it is one following:	

 (i) It is set back a minimum of 10m from the centre of line of any electrical distribution or transmission lines, not associated with the National Grid, that operate at a voltage of up to 110kV; or (ii) It is set back a minimum of 12m from the centre of line of any electrical distribution or transmission lines, not associated with the National Grid, that operate at a voltage of 110kV or more. GRZ-R12 Construction, demolition, additi (1) Activity status: PER Activity-specific standards: Nil 		 the safety of people; (c) The risk of damage to property; and (d) Effects on the operation, maintenance and upgrading of the electrical distribution or transmission lines.
building fo	c standards: ruction or alteration of a r a sensitive land use that vith all of the following	achieved: RDIS Council's discretion is restricted to the following matters: (a) Effects on the amenity values of the site; (b) The risk of electrical hazards affecting
Grid su GRZ-RII (I) Activity sta	pport structure. Construction or alteration of a tus: PER	(2) Activity status where compliance not
(iii) Not pereception of the existing	A building or structure where Transpower has given written pproval in accordance with lause 2.4.1 of the NZECP34:2001 ISSN 0114- 0663; Fences less than 2.5m in height, neasured from the natural round level immediately below, and located a minimum of 5m from the nearest National Grid support tructure foundation; Network utilities (other than or the reticulation and storage of water for irrigation burposes) or any part of electricity infrastructure undertaken by a network utility operator as defined in the Resource Management Act 991, that connects to the National Grid; and ermanently physically impede g vehicular access to a National	

(I) Activity sta	atus: RDIS	(2) Activity status where compliance not
Activity-specif	ic standards:	achieved: n/a
Nil		
Council's discu following mate	retion is restricted to the ters:	
· · /	nt to which it is necessary to activity in the GRZ - General I zone;	
(b) Reverse s activities;	ensitivity effects of adjacent	
()	nt to which the activity may impact on the transport	
(d) The exte	nt to which the activity may	
adversely	impact on the streetscape and	
the ameni	ty of the neighbourhood;	
	nt to which the activity may	
	impact on the noise	
environm		
GRZ-RI4		ensitive land use within the National Grid Yard
(I) Activity sta	atus: NC	
GRZ-R15	Any new building within the Huntly North Wetland specific control identified on the planning maps	
(I) Activity sta	atus: NC	
GRZ-RI6	Any activity that is not listed as prohibited, permitted, restricted discretionary or discretionary.	
(I) Activity sta		
GRZ-R17		or vegetation that obscure the sight line of the essels entering Whaingaroa (Raglan Harbour) on beacon).
(I) Activity sta	atus: PR	

Land use - effects

GRZ-SI	Servicing and hours of operation – Bankart Street and Wainui Road Business Overlay Area	
(I) Activity st Where:	atus: PER	(2) Activity status where compliance not achieved: DIS
 (a) The loading and unloading of vehicles and the receiving of customers and deliveries associated with a commercial activity within the Bankart Street and Wainui Road Business Overlay Area shall occur between 7.30am and 6:30pm. 		

Land use – building

GRZ-S2	Residential unit

(I) Activity s	tatus: PER	(2) Activity status where compliance not
Where:		achieved: DIS
(a) One residential unit within a site.		
GRZ-S3	Minor residential unit	1
(I) Activity status: PER		(2) Activity status where compliance not
Where:		achieved: DIS
 (a) One minor residential unit contained within a site must comply with all of the following standards: 		
and	net site area is 600m² or more; gross floor area shall not exceed	
70m ²		
GRZ-S4	Height – building general	
(I) Activity s Where:	tatus: PER	(2) Activity status where compliance not achieved: RDIS
	ximum height of any building or e, measured from the natural	Council's discretion is restricted to the following matters:
ground l structure	evel immediately below the e, shall not exceed 8m; ys not exceeding 1m in width and	 (a) Extent of overshadowing and shading of adjoining sites, particularly internal and external living spaces;
finials sh of 10m r	all not exceed a maximum height measured from the natural	(b) Loss of privacy through overlooking adjoining sites;
structure	,	(c) Whether development on the adjoining sites (such as separation by land used for
tower o	ximum height of a hose drying n a Fire and Emergency fire ite, measured from the natural	vehicle access, the provision of screening) reduces the need to protect the adjoining site from overlooking; and
-	level immediately below the e, shall not exceed 15m.	(d) Design (such as high windows) and location of the building.
GRZ-S5	Height – building and vegetatior	
(I) Activity s Where:	tatus: PER	(2) Activity status where compliance not achieved: DIS
(a) The max	ximum height of a building,	
	e or vegetation above ground	
	hin a battlefield view shaft as	
	on the planning maps, shall not	
exceed 5		
GRZ-S6	Beacon Height Restriction Plane	
(I) Activity s Where:	tatus: PER	(2) Activity status where compliance not achieved: n/a
(a) A building, structure or vegetation that is located beneath, but does not intrude		
into, the Raglan Navigation Beacon Height Restriction Plane, as defined in APP8 – Raglan navigation beacon,		
provided that:		
 (i) A Registered Surveyor has certified, in writing, that the building, structure or 		

•	ation does not intrude into the	
Raglar	Navigation Beacon Height	
Restri	ction Plane; and	
(ii) This certification is provided to		
Council prior to the commencement		
	works.	
PREC4-SI		adjoining Hilltop parks within PREC4 – Havelock
FREC4-51		aujoining Hintop parks within PREC4 – Havelock
$(2) \wedge ctivity of$	precinct	(1) A stivity status where compliance not
(3) Activity st	alus: PEN	(4) Activity status where compliance not achieved: DIS
Where:		achieved: DIS
(a) A buildin	g or structure with a maximum	
height no	t exceeding 5m, measured from	
the natur	al ground level immediately	
below the	at part of the structure, where it	
is located	l within 50m (horizontal	
	of the boundary of the Hilltop	
	ntified on the Havelock precinct	
	PP14 – Havelock precinct plan.	
GRZ-S7	Fences or walls – road boundar	ies and OSZ – Open space zone boundaries
(I) Activity st		(2) Activity status where compliance not
Where:		achieved: RDIS
	nd walls between the applicable	Council's discretion is restricted to the
	etbacks under GRZ-SI7 – GRZ-	following matters:
-	and any road and OSZ – Open	(a) Building materials and design;
	ne boundaries shall comply with	
	following standards, measured	(b) Effects on amenity; and
	natural ground level	(c) Public space visibility.
	ely below the structure:	
	higher than 1.2m if solid:	
.,	-	
	higher than 1.8m if:	
	ly permeable for the full 1.8m	
-	of the fence or wall; or	
· · ·	up to 1.2m and visually	
	eable between 1.2 and 1.8m.	
GRZ-S8		ies and OSZ – Open space zone boundaries
(I) Activity st	atus: PER	(2) Activity status where compliance not
Where:		achieved: RDIS
(a) Any fence	es or walls erected within the	Council's discretion is restricted to the
	e building setbacks under GRZ-	following matters:
	Z-S23 on common boundaries	(a) Building materials and design;
of the GF	RZ – General residential zone	(b) Effects on amenity; and
and RLZ	– Rural lifestyle zone, between	(c) Public space visibility.
	Road and Travers Road, Te	
	a, shall be of a rural-type post	
	or post and rail.	
GRZ-S9	Height in relation to boundary	1
(I) Activity st		(2) Activity status where compliance not
Where:		achieved: RDIS
	or structures shall not protrude	Council's discretion is restricted to the
· · / -	a height control plane rising at	following matters:
-		
an angle of 45 degrees commencing at an		1

elevation of 2.5m above ground level at	(a) Height of the building;
every point of the site boundary.	(b) Design and location of the building;
	(c) Extent of shading on adjacent any other
	sites;
	(d) Privacy on another any other sites; and
	(e) Effects on amenity values and residential
	character.
GRZ-SI0 Building coverage	
(I) Activity status: PER	(2) Activity status where compliance not achieved: RDIS
Where:	Council's discretion is restricted to the
 (a) The total building coverage shall not exceed 40%; 	following matters:
(b) GRZ-SI0(I)(a) does not apply:	(a) Whether the balance of open space and
 (i) To a structure that is not a building; or 	buildings will maintain the character and amenity values anticipated for the zone;
(ii) Eaves of a building that project less	(b) Visual dominance of the street resulting
than 750mm horizontally from the	from building scale; and
exterior wall of the building.	(c) Management of stormwater flooding, nuisance or damage to within the site.
GRZ-SII Building coverage	· · · · · · · · · · · · · · · · · · ·
(I) Activity status: PER	(2) Activity status where compliance not
Where:	achieved: RDIS
(a) Within the Te Kauwhata Ecological Residential Area as identified on the	Council's discretion is restricted to the following matters:
planning maps, the total building coverage shall not exceed 35%.	 (a) Whether the balance of open space and buildings will maintain the character and amenity values anticipated for the zone;
	(b) Visual dominance of the street resulting from building scale; and
	(c) Management of stormwater flooding, nuisance or damage to within the site.
GRZ-S12 Building coverage	
(I) Activity status: PER Where:	(2) Activity status where compliance not achieved: RDIS
(a) Within the Bankart Street and Wainui Road Business Overlay Area as identified	Council's discretion is restricted to the following matters:
on the planning maps, total building coverage shall not exceed 50%.	 (a) Whether the balance of open space and buildings will maintain the character and amenity values anticipated for the zone;
	 (b) Visual dominance of the street resulting from building scale; and
	(c) Management of stormwater flooding, nuisance or damage to within the site.
GRZ-SI3 Impervious surfaces	
(I) Activity status: PER	(2) Activity status where compliance not
Where:	achieved: RDIS
 (a) The impervious surfaces of a site shall not exceed 70%. 	Council's discretion is restricted to the following matters:

		(b) The risk of flooding, nuisance or damage to the site or other buildings and sites.
GRZ-SI4	Outdoor living space	5
(I) Activity s		(2) Activity status where compliance not achieved: RDIS
Where:		
	oor living space shall be provided residential unit that meets all of	Council's discretion is restricted to the following matters:
(i) It is fo	wing standards: or the exclusive use of the pants of the residential unit;	 (a) The extent to which the space is useable and contributes to the feeling of spaciousness;
()	eadily accessible from a living of the residential unit;	(b) Access to sunlight;
(iii) Whe	en located on the ground floor, it	(c) Privacy of adjoining residential sites;(d) Accessibility to and convenience of the
	minimum area of 80m ² and a	space for occupiers; and
direct	num dimension of 4m in any tion; and	(e) Whether the size and quality of communal outdoor living space in the
above must	en located on a balcony of an e ground apartment building, it have a minimum area of 15m ² minimum dimension of 2m in	development or other public open space compensates for any reduction in the private space.
any d	irection.	
GRZ-SI5	Outdoor living space	
(I) Activity s Where:	tatus: PER	(2) Activity status where compliance not achieved: RDIS
for each all of the (i) It is fo occup unit; (ii) It is r area o (iii) Whe has a minin direct (iv) Whe above must and a	oor living space shall be provided minor residential unit that meets following standards: or the exclusive use of the bants of the minor residential readily accessible from a living of the minor residential unit; en located on the ground floor it minimum area of 40m ² and a num dimension of 4m in any tion; en located on a balcony of an e ground apartment building, it have a minimum area of 15m ² minimum dimension of 2m in irection.	 Council's discretion is restricted to the following matters: (a) The extent to which the space is useable and contributes to the feeling of spaciousness; (b) Access to sunlight; (c) Privacy of adjoining residential sites; (d) Accessibility to and convenience of the space for occupiers; and (e) Whether the size and quality of communal outdoor living space in the development or other public open space compensates for any reduction in the private space.
		(2) A stivity status whom some lines and
(I) Activity s Where:	tatus: PEK	(2) Activity status where compliance not achieved: RDIS
(a) A service each res	e court shall be provided for idential unit and minor	Council's discretion is restricted to the following matters:
residential unit, either as two separate areas or one combined area, each with all the following dimensions:		 (a) The convenience and accessibility of the spaces for building occupiers;

(i) Storage of waste and recycling bins –	(b) The adequacy of the space to meet the
minimum area of 3m ² and minimum	expected requirements of building
dimension of 1.5m; and	occupiers; and
(ii) Washing line – minimum area of 5m ²	(c) Adverse effects on the location of the
and minimum dimension of 2m.	space on visual amenity from the street
	or adjoining sites.
GRZ-SI7 Building setbacks – all boundari	
(I) Activity status: PER Where:	(2) Activity status where compliance not achieved: RDIS
(a) The finished external walls (excluding	Council's discretion is restricted to the
eaves) of a building shall be set back a	following matters:
minimum of:	(a) Road network safety and efficiency;
(i) 3m from the road boundary;	(b) Reverse sensitivity effects;
(ii) 13m from the edge of an indicative	(c) Adverse effects on amenity;
road (as demonstrated on a structure	
plan or planning maps);	(d) Streetscape;
(iii) 1.5m from every boundary other	(e) Potential to mitigate adverse effects;
than a road boundary; and	 (f) Daylight admission to adjoining properties; and
(iv) 1.5m from every vehicle access to another site.	(g) Effects on privacy at adjoining sites.
(b) GRZ-S17(1)(a) does not apply to a	
structure which is not a building.	
GRZ-SI8 Building setbacks – all boundari	es
(I) Activity status: PER	(2) Activity status where compliance not
Where:	achieved: RDIS
(a) The finished external walls (excluding eaves) of a non-habitable building can be	Council's discretion is restricted to the following matters:
set back less than 1.5m from a boundary,	(a) Road network safety and efficiency;
where:	(b) Reverse sensitivity effects;
(i) The total length of all buildings within	(c) Adverse effects on amenity;
I.5m of the boundary does not	(d) Streetscape;
exceed 6m; and	(e) Potential to mitigate adverse effects;
(ii) The building does not have any	
windows or doors on the side of the	 (f) Daylight admission to adjoining properties; and
building facing the boundary.	
	(g) Effects on privacy at adjoining sites.
GRZ-S19 Building setbacks – all boundari	
(I) Activity status: PER	(2) Activity status where compliance not
Where:	achieved: RDIS
Where: (a) A garage shall be set back behind the	Council's discretion is restricted to the
(a) A garage shall be set back behind the front façade of the residential unit where	Council's discretion is restricted to the following matters:
(a) A garage shall be set back behind the front façade of the residential unit where the residential unit and garage are on a	Council's discretion is restricted to the following matters: (a) Road network safety and efficiency;
(a) A garage shall be set back behind the front façade of the residential unit where	Council's discretion is restricted to the following matters: (a) Road network safety and efficiency; (b) Reverse sensitivity effects;
(a) A garage shall be set back behind the front façade of the residential unit where the residential unit and garage are on a	Council's discretion is restricted to the following matters: (a) Road network safety and efficiency; (b) Reverse sensitivity effects; (c) Adverse effects on amenity;
(a) A garage shall be set back behind the front façade of the residential unit where the residential unit and garage are on a	Council's discretion is restricted to the following matters: (a) Road network safety and efficiency; (b) Reverse sensitivity effects;
(a) A garage shall be set back behind the front façade of the residential unit where the residential unit and garage are on a	Council's discretion is restricted to the following matters: (a) Road network safety and efficiency; (b) Reverse sensitivity effects; (c) Adverse effects on amenity;
(a) A garage shall be set back behind the front façade of the residential unit where the residential unit and garage are on a	Council's discretion is restricted to the following matters: (a) Road network safety and efficiency; (b) Reverse sensitivity effects; (c) Adverse effects on amenity; (d) Streetscape;
(a) A garage shall be set back behind the front façade of the residential unit where the residential unit and garage are on a	Council's discretion is restricted to the following matters: (a) Road network safety and efficiency; (b) Reverse sensitivity effects; (c) Adverse effects on amenity; (d) Streetscape; (e) Potential to mitigate adverse effects;
(a) A garage shall be set back behind the front façade of the residential unit where the residential unit and garage are on a	Council's discretion is restricted to the following matters: (a) Road network safety and efficiency; (b) Reverse sensitivity effects; (c) Adverse effects on amenity; (d) Streetscape; (e) Potential to mitigate adverse effects; (f) Daylight admission to adjoining

(I) Activity status: PER		(2) Activity status where compliance not
Where:		achieved: RDIS
existing b shall be se (i) 5m fro the rai (ii) 15m fr route (iii) 25m f the W (iv) 300m ponds wastev anothe (v) 30m fr treatm treatm and (vi) 300m Alstra	rom a municipal wastewater ent facility where the ent process is fully enclosed; from the boundary of the Poulty intensive farming	 Council's discretion is restricted to the following matters: (a) Road network safety and efficiency; (b) On-site amenity values; (c) Odour, dust and noise levels received at the notional boundary of the building; (d) Mitigation measures; and (e) Potential for reverse sensitivity effects.
	es located on River Road and	
	South Road, Ngaaruawaahia.	
GRZ-S21	-	use located outside the Amenity Setback specific
control in Tuakau (I) Activity status: PER Where:		(2) Activity status where compliance not achieved: RDIS
 (a) Any new building or alteration to an existing building for a sensitive land use shall be located outside the Amenity Setback specific control identified on the planning maps. 		Council's discretion is restricted to the following matters: (a) On-site amenity values; (b) Odour, dust and noise levels received at the notional boundary of the building; (c) Timing and duration of noise received at the notional boundary of the building; and (d) Potential for reverse sensitivity effects
PREC4-S2	Building setback – sensitive land	use within PREC4 – Havelock precinct
(3) Activity st Where:		(4) Activity status where compliance not achieved: NC
existing b within the that is loc	building or alteration to an uilding for a sensitive land use PREC4 – Havelock precinct ated outside the Pōkeno Buffer identified on the planning	
GRZ-S22	Building setback – water bodies	
(I) Activity st		(2) Activity status where compliance not
Where:		achieved: RDIS
(a) Any building must shall be setback a minimum of:		Council's discretion is restricted to the

 (i) 23m from the margin of any; (1) lake; and (2) wetland; (ii) 23m from the bank of any river (other than the Waikato and Waipa Rivers); (iii) 28m from the margin of both the Waikato River and the Waipa River; and (iv) 23m from mean high water springs. (v) 10m from any artificial wetland. (b) A public amenity of up to 25m² or a 	 (a) Effects on the landscape, ecological, cultural and recreational values of the adjacent water body; (b) Adequacy of erosion and sediment control measures; (c) The functional or operational need for the building to be located close to the waterbody; (d) Effects on public access to the waterbody; (e) Effects on the amenity of the locality; and
 (2) wetland; (ii) 23m from the bank of any river (other than the Waikato and Waipa Rivers); (iii) 28m from the margin of both the Waikato River and the Waipa River; and (iv) 23m from mean high water springs. (v) 10m from any artificial wetland. (b) A public amenity of up to 25m² or a 	adjacent water body; (b) Adequacy of erosion and sediment control measures; (c) The functional or operational need for the building to be located close to the waterbody; (d) Effects on public access to the waterbody;
 (ii) 23m from the bank of any river (other than the Waikato and Waipa Rivers); (iii) 28m from the margin of both the Waikato River and the Waipa River; and (iv) 23m from mean high water springs. (v) 10m from any artificial wetland. (b) A public amenity of up to 25m² or a 	 (b) Adequacy of erosion and sediment control measures; (c) The functional or operational need for the building to be located close to the waterbody; (d) Effects on public access to the waterbody;
 (other than the Waikato and Waipa Rivers); (iii) 28m from the margin of both the Waikato River and the Waipa River; and (iv) 23m from mean high water springs. (v) 10m from any artificial wetland. (b) A public amenity of up to 25m² or a 	 control measures; (c) The functional or operational need for the building to be located close to the waterbody; (d) Effects on public access to the waterbody;
Rivers); (iii) 28m from the margin of both the Waikato River and the Waipa River; and (iv) 23m from mean high water springs. (v) 10m from any artificial wetland. (b) A public amenity of up to 25m ² or a	 (c) The functional or operational need for the building to be located close to the waterbody; (d) Effects on public access to the waterbody;
 (iii) 28m from the margin of both the Waikato River and the Waipa River; and (iv) 23m from mean high water springs. (v) 10m from any artificial wetland. (b) A public amenity of up to 25m² or a 	the building to be located close to the waterbody;(d) Effects on public access to the waterbody;
 Waikato River and the Waipa River; and (iv) 23m from mean high water springs. (v) 10m from any artificial wetland. (b) A public amenity of up to 25m² or a 	waterbody; (d) Effects on public access to the waterbody;
and (iv) 23m from mean high water springs. (v) 10m from any artificial wetland. (b) A public amenity of up to 25m ² or a	(d) Effects on public access to the waterbody;
 (iv) 23m from mean high water springs. (v) 10m from any artificial wetland. (b) A public amenity of up to 25m² or a 	waterbody;
(v) 10m from any artificial wetland.(b) A public amenity of up to 25m² or a	
(b) A public amenity of up to 25m ² or a	(e) Effects on the amenity of the locality; and
	(f) Effects on natural character values.
pump shed (public or private), within any	
building setback identified in GRZ-	
S22(1)(a).	
GRZ-S23 Building setback – Environmenta	
(I) Activity status: PER	(2) Activity status where compliance not achieved: DIS
Where:	
(a) A building shall be set back a minimum of	
3m from an Environmental Protection	
Area.	
	ea (identified on the planning maps)
(I) Activity status: PER	(2) Activity status where compliance not achieved: RDIS
Where:	
(a) Construction, addition to or alteration of	Council's discretion is restricted to the
a building for a noise sensitive activity	following matters:
within the Horotiu Acoustic Area shall	(a) On-site amenity values;
be designed and constructed to achieve the internal design sound level specified	(b) Noise levels received at the notional
in APP1 – Acoustic insulation, Table 22 –	boundary of the building;
	(c) Timing and duration of noise received at
5 5	
(3) Activity status: PER	
Where:	achieved: DIS
vviiere.	
(a) Any new building or alteration to an	
(a) Any new building or alteration to an existing building for a sensitive land use	
(a) Any new building or alteration to an existing building for a sensitive land use located outside the Pokeno Industry	
 (a) Any new building or alteration to an existing building for a sensitive land use located outside the Pokeno Industry Buffer but within the 40 dB L_{Aeq} noise 	
 (a) Any new building or alteration to an existing building for a sensitive land use located outside the Pokeno Industry Buffer but within the 40 dB L_{Aeq} noise contour shown on the planning maps that 	
 (a) Any new building or alteration to an existing building for a sensitive land use located outside the Pokeno Industry Buffer but within the 40 dB LAeq noise contour shown on the planning maps that is designed and constructed so that 	
 (a) Any new building or alteration to an existing building for a sensitive land use located outside the Pōkeno Industry Buffer but within the 40 dB L_{Aeq} noise contour shown on the planning maps that is designed and constructed so that internal noise levels do not exceed 25 dB 	
 (a) Any new building or alteration to an existing building for a sensitive land use located outside the Pokeno Industry Buffer but within the 40 dB L_{Aeq} noise contour shown on the planning maps that is designed and constructed so that internal noise levels do not exceed 25 dB L_{Aeq} in all habitable rooms. 	
 (a) Any new building or alteration to an existing building for a sensitive land use located outside the Pōkeno Industry Buffer but within the 40 dB L_{Aeq} noise contour shown on the planning maps that is designed and constructed so that internal noise levels do not exceed 25 dB L_{Aeq} in all habitable rooms. (b) Provided that if compliance with clause 	
 (a) Any new building or alteration to an existing building for a sensitive land use located outside the Pōkeno Industry Buffer but within the 40 dB L_{Aeq} noise contour shown on the planning maps that is designed and constructed so that internal noise levels do not exceed 25 dB L_{Aeq} in all habitable rooms. (b) Provided that if compliance with clause (a) above requires all external doors of 	
 (a) Any new building or alteration to an existing building for a sensitive land use located outside the Pōkeno Industry Buffer but within the 40 dB L_{Aeq} noise contour shown on the planning maps that is designed and constructed so that internal noise levels do not exceed 25 dB L_{Aeq} in all habitable rooms. (b) Provided that if compliance with clause 	
(3) Activity status: PER	 (d) Potential for reverse sensitivity effects. (d) Potential for reverse sensitivity effects. (e) Activity status where compliance not achieved: DIS

 (i) Is mechanically ventilated and/or cooled to achieve an internal temperature no greater than 25°C based on external design conditions of dry bulb 25.1 °C and wet bulb 20.1 °C. 	
 (ii) Includes either of the following for all habitable rooms on each level of a dwelling: 	
(1) Mechanical cooling installed; or	
(2) A volume of outdoor air supply to all habitable rooms with an outdoor air supply rate of no less than:	
(a) 6 air changes per hour for rooms with less than 30% of the façade area glazed;	
(b) I 5 air changes per hour for rooms with greater than 30% of the façade area glazed;	
 (c) 3 air changes per hour for rooms with facades only facing south (between 120 degrees and 240 degrees) or where the glazing in the façade is not subject to any direct sunlight. 	
(iii) Provides relief for equivalent volumes of spill air.	
 (iv) All is certified by a suitably qualified and experienced person. 	