

Schedule 30.5: Urban Allotment Significant Natural Areas

As required under section 76(4A) of the Resource Management Act 1991, this appendix is a schedule of Significant Natural Areas containing groups of trees which are located on urban environment allotment:

- (1) that is no greater than 4000m²; and
- (2) that is connected to a reticulated water supply system and a reticulated sewerage system; and
- (3) on which there is a building used for industrial or commercial purposes or as a dwelling house; and
- (4) that is not reserve (within the meaning of section 2(1) of the Reserves Act 1977) or subject to a conservation management plan or conservation management strategy prepared in accordance with the Conservation Act 1987 or the Reserves Act 1977.

Zone rules addressing the clearance of indigenous vegetation within Significant Natural Areas apply to this listed groups of trees and allotments.

Certificate of Title No	Id (SNA primary key)	Site Description
SA67A/395	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
SA19C/503	588	Gully stream systems south of Taupiri, both consisting of several branches, the southern gully being the Waikeri Stream. Both gullies predominantly consist of a vegetation of grey willow with raupo, carex sedgeland, and other indigenous and exotic species.
SA14A/1233	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
SA5D/1349	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
SA66C/320	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
SA4A/924	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
SA14D/260	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
SA61B/847	588	Gully stream systems South of Taupiri both consisting of several branches, the southern gully being the Waikeri Stream. Both gullies predominantly consist of a vegetation of grey willow with raupo, carex sedgeland, and other indigenous and exotic species.
SA54B/435	1442	Wetlands at the south end of Lake Hakanoa in Huntly. The vegetation comprises willow carr, with an understorey which includes a range of native species, along with areas of Carex sedgeland, swamp meadow, and rough pasture.
SA49D/46	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
SA38C/188	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.

SA38C/187	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
SA14B/386	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
SA1452/52	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
SA43A/443	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
SA1452/53	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
45490	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
174074	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
278343	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
432509	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
483677	1442	Wetlands at the south end of Lake Hakanoa in Huntly. The vegetation comprises willow carr, with an understorey which includes a range of native species, along with areas of Carex sedgeland, swamp meadow, and rough pasture.
500886	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.
755884	588	Gully stream systems South of Taupiri both consisting of several branches, the southern gully being the Waikeri Stream. Both gullies predominantly consist of a vegetation of grey willow with raupo, carex sedgeland, and other indigenous and exotic species.
781361	881	This site comprises several areas of scrub along the margins of Raglan Harbour, just south of the town. Some of the areas are natural kanuka-dominated scrub, while others are planted and include a mix of species.