

## RLZ – Rural lifestyle zone [000049, 000055, 000078, 000086, 000058]

The relevant district-wide chapter provisions apply in addition to this chapter.

### Purpose

The purpose of the RLZ – Rural lifestyle zone is to provide for, and maintain, the semi-rural character of large lot rural-residential development. The Rural Lifestyle Zone is typically located on the fringe of towns and provides a transition to the surrounding rural area.

The zone is generally characterised by rural-residential development, with one house per site which is usually single storied and set on sections of 5,000m<sup>2</sup> or larger, surrounded by paddocks, trees and garden/landscaping. The zone provides an opportunity for people to enjoy a spacious living environment while being close to an urban centre.

Development, including fencing, will maintain an open and spacious character that contrasts with the urban towns and rural land.

In addition to residential activities, the zone also provides for some non-residential activities that operate from existing houses or from purpose-built buildings, where these activities are compatible with the character and amenity of the zone and complementary with residential activities.

### Objectives

RLZ-O1 RLZ – Rural lifestyle zone. [000049, 000058, 000055, 000078, 000086] {000051, 000079}

- (1) The zone is used primarily for a residential lifestyle within a rural environment on lots smaller than those of the GRZ – General rural zone, while still enabling primary production to occur.

### Policies

RLZ-PI Rural lifestyle character. [000049, 000058, 000055, 000078, 000086] {000044, 000051, 000064, 000079}

- (1) Any building and activity within the zone is designed, located, scaled and serviced in a manner that does not detract from the character of the area by:
- (a) Maintaining the open space character;
  - (b) Maintaining low density residential development;
  - (c) Recognising the absence of Council wastewater services and lower levels of other infrastructure.
- (2) Maintain views and vistas of the rural hinterland beyond, including, where applicable, Waikato River, wetlands, lakes, and the coast.
- (3) Maintain a road pattern that follows the natural contour of the landform.

- (4) Ensures that the scale and design of any non-residential activities maintains the open rural character and addresses site specific issues such as on-site servicing, and transport related effects.
- (5) Requires activities within the zone to be self-sufficient in the provision of water supply, wastewater and stormwater disposal, unless a reticulated supply is available.
- RLZ-P2 Building setbacks. [000049, 000058, 000055, 000078, 000086] {000044, 000051, 000079}
- Maintain the existing spaciousness between buildings with adjoining sites.
- RLZ-P3 Scale and intensity of development. [000049, 000058, 000055, 000078, 000086] {000044, 000051, 000064, 000079}
- Minimise the adverse effects of development created by excessive building scale, overshadowing, building bulk, excessive site coverage or loss of privacy.
- RLZ-P4 Height of buildings. [000049, 000058, 000055, 000078, 000086] {000044, 000051, 000079}
- Ensure building height does not result in loss of privacy or cause overshadowing on adjoining sites or detract from the amenity of the area.
- RLZ-P5 Non-residential activities. [000049, 000058, 000055, 000078, 000086] {000044, 000048, 000051, 000079}
- (1) Avoid the establishment of commercial or industrial activities within the zone unless they:
- (a) Have a functional need to locate within the zone; and
  - (b) Provide for the health and well-being of the community.
- RLZ-P6 Existing non-residential activities. [000049, 000058, 000055, 000078, 000086] {000044, 000051, 000079}
- Enable existing non-residential activities to continue and support their redevelopment and expansion, provided they do not have a significant adverse effect on the character and amenity of the zone.
- RLZ-P7 Home businesses. [000049, 000058, 000055, 000078, 000086] {000044, 000051, 000064, 000079}
- (1) Provide for home businesses to allow flexibility for people to work from their homes.
- (2) Manage the adverse effects on residential amenity through limiting home businesses to a scale that is compatible with the level of amenity anticipated in the zone.
- RLZ-P8 Outdoor storage. [000049, 000058, 000055, 000078, 000086] {000044, 000051, 000079}
- The adverse visual effects of outdoor storage are managed through screening or landscaping.

- RLZ-P9 Objectionable odour. [000049, 000058, 000055, 000078, 000086] {000044, 000051, 000079}
- (1) Ensure that the effects of objectionable odour do not detract from the amenity on other sites.
- (2) Maintain appropriate setback distances between new sensitive land uses and existing lawfully-established activities that generate objectionable odour.
- RLZ-PI0 Reverse sensitivity. [000049, 000058, 000035, 000027, 000055, 000078, 000086] {000027, 000035, 000042, 000043, 000044, 000048, 000051, 000079, 000087}
- (1) Avoid or minimise the potential for reverse sensitivity through:
- (a) The use of setbacks, the design of subdivisions and development
- (b) Limiting subdivision near the Waikato Regional Airport.

## Rules

### Land use – activities

In addition to the activity-specific standards listed below, permitted activities must also comply with all relevant Land-use building standards in this chapter, as well as the standards in Part 2 / District-wide matters / General district-wide matters.

<b>RLZ-RI</b>	Residential activity, unless specified below [000049, 000078, 000086, 000055] {000079, 000051, 000044, 000048, 000058}
	This includes occupation of a single residential unit for short term rental.
<b>(1) Activity status: PER</b> <b>Activity-specific standards:</b> Nil.	<b>(2) Activity status where compliance not achieved: n/a</b>
<b>RLZ-R2</b>	Home stay [000049, 000078, 000086, 000055] {000079, 000051, 000044, 000048, 000058}
<b>(1) Activity status: PER</b> <b>Activity-specific standards:</b> (a) Maximum of 4 guests	<b>(2) Activity status where compliance not achieved: DIS</b>
<b>RLZ-R3</b>	A home business [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(1) Activity status: PER</b> <b>Activity-specific standards:</b> (a) It is wholly contained within a building; (b) The storage of materials or machinery associated with the home business are wholly contained within a building; (c) No more than 2 people who are not permanent residents of the site are employed at any one time; (d) Unloading and loading of vehicles and the receiving of customers or deliveries can	<b>(2) Activity status where compliance not achieved: DIS</b>

Part 3: Area-specific matters / Zones / Rural zones / RLZ – Rural lifestyle zone

	only occur after 7:00am and before 7:00pm on any day; (e) Machinery may be operated after 7:00am and up to 7:00pm on any day.	
<b>RLZ-R4</b>	Farming [000049, 000078, 000086, 000055] {000079, 000051, 000058}	
(1) Activity status: <b>PER</b> Activity-specific standards: Nil.		(2) Activity status where compliance not achieved: n/a
<b>RLZ-R5</b>	Childcare facility [000049, 000078, 000086, 000055] {000042, 000079, 000087, 000051, 000044, 000048, 000027, 000058}	
(1) Activity status: <b>PER</b> Activity-specific standards: (a) Maximum 10 children		(2) Activity status where compliance not achieved: <b>RDIS</b> <b>Council's discretion is restricted to the following matters:</b> (a) The extent to which it is necessary to locate the activity in the RLZ – Rural lifestyle zone; (b) Reverse sensitivity effects of adjacent activities; (c) The extent to which the activity may adversely impact on the transport network; (d) The extent to which the activity may adversely impact on the streetscape, character and amenity of the neighbour, with particular regard to the bulk and location of the buildings; (e) The extent to which the activity may adversely impact on the noise environment.
<b>RLZ-R6</b>	Visitor accommodation [000049, 000078, 000086, 000055] {000079, 000051, 000044, 000048, 000058}	
(1) Activity status: <b>PER</b> Activity-specific standards: (a) Maximum 5 guests.		(2) Activity status where compliance not achieved: <b>DIS</b>
<b>RLZ-R7</b>	Buildings, structures and sensitive land use within the National Grid Yard on sites existing as of 18 July 2018 [000049, 000078, 000086, 000074, 000055] {000079, 000074, 000051, 000044, 000058}	
(1) Activity status: <b>PER</b> Activity-specific standards: (a) Within National Grid Yard: (i) Building alterations and additions to an existing building or structure that does not involve an increase in the building height or footprint; or (ii) Infrastructure (other than for the reticulation and storage of water for irrigation purposes) undertaken by a network utility operator as defined in		(2) Activity status where compliance not achieved: <b>NC</b>

<p>the Resource Management Act 1991; or</p> <p>(iii) Non-habitable buildings or structures for farming activities in rural zones including accessory structures and yards for milking/dairy sheds (but not including any intensive farming buildings, commercial greenhouses and milking/dairy sheds); or</p> <p>(iv) Non-habitable horticultural buildings; or</p> <p>(v) Artificial crop protection and support structures (excluding commercial greenhouses and <i>Pseudomonas syringae</i> pv. <i>Actinidiae</i> (Psa) disease control structures);</p> <p>(vi) Fences less than 2.5m in height, measured from the natural ground level immediately below the structure; and</p> <p>(vii) Minor structures associated with farming activity that are not situated within 12m of the outer visible foundation of any National Grid tower or 10m of the outer visible foundation of a National Grid tower, including: fences, gates, stock exclusion structures, cattle-stops, stock underpasses, stock bridges and culvert crossings, and drinking water supply pipelines, troughs, and water storage tanks.</p> <p>(b) All buildings or structures permitted by Rule RLZ-R7(1)(a) must:</p> <p>(i) Comply with the New Zealand Electrical Code of Practice for Electrical Safe Distances 34:2001 ISSN 0114-0663 under all National Grid transmission line operating conditions; and</p> <p>(1) Locate a minimum 12m from the outer visible foundation of any National Grid support structure foundation and associated stay wire, unless it is:</p> <p>(2) A building or structure where Transpower has given written approval in accordance with clause 2.4.1 of the NZECP; or</p> <p>(3) Fences less than 2.5m in height, measured from the natural ground level immediately below the structure, and located a minimum</p>	
---	--

<p>of 5m from the nearest National Grid support structure foundation; or</p> <p>(ii) Network utilities (other than for the reticulation and storage of water for irrigation purposes) or any part of electricity infrastructure undertaken by a network utility operator as defined in the Resource Management Act 1991, that connects to the National Grid; and</p> <p>(iii) Not permanently physically impede existing vehicular access to a National Grid support structure;</p> <p>(c) Artificial crop protection structures and support structures between 8m and 12m from a pole support structure but not a tower and any associated guy wire that:</p> <p>(i) Meet the requirements of the NZECP 34:2001 ISSN 0114-0663 for separation distances from the conductor;</p> <p>(ii) Are no higher than 2.5m;</p> <p>(iii) Are removable or temporary, to allow a clear working space of at least 12 metres from the pole when necessary for maintenance and emergency repair purposes;</p> <p>(iv) Allow all-weather access to the pole and a sufficient area for maintenance equipment, including a crane.</p>	
<p><b>RLZ-R8</b></p>	<p>Construction or alteration of a building for a sensitive land use [000049, 000078, 000086, 000074, 000055] {000079, 000051, 000044, 000048, 000058}</p>
<p><b>(1) Activity status: PER</b></p> <p><b>Activity-specific standards:</b></p> <p>(a) The construction or alteration of a building for a sensitive land use that complies with all of the following standards:</p> <p>(i) It is set back a minimum of 10m from the centre of line of any electrical distribution or transmission lines, not associated with the National Grid, that operate at a voltage of up to 110kV; or</p> <p>(ii) It is set back a minimum of 12m from the centre of line of any electrical distribution or transmission lines, not associated with the National Grid, that operate at a voltage of 110kV or more.</p>	<p><b>(2) Activity status where compliance not achieved: RDIS</b></p> <p><b>Council's discretion is restricted to the following matters:</b></p> <p>(a) Effects on the amenity values of the site;</p> <p>(b) The risk of electrical hazards affecting the safety of people;</p> <p>(c) The risk of damage to property; and</p> <p>(d) Effects on the operation, maintenance and upgrading of the electrical distribution or transmission lines.</p>

<b>RLZ-R9</b>	Construction, demolition, additions and alterations to a structure [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(1) Activity status: PER</b> <b>Activity-specific standards:</b> Nil.	<b>(2) Activity status where compliance not achieved: n/a</b>
<b>RLZ-R10</b>	Atawhai Assisi Retirement Village (Lot 1 DPS21156) maintenance, operation, and alteration [000049, 000078, 000086, 000055] {000042, 000079, 000051, 000048, 000027, 000058}
<b>(1) Activity status: PER</b> <b>Activity-specific standards:</b> (a) The alterations do not increase net floor area. (b) Land use – building standards for the zone except: (i) RLZ-S1 (Residential unit) does not apply; (ii) RLZ-S2 (Minor residential units) does not apply; (iii) RLZ-S7 (Building coverage) does not apply.	<b>(2) Activity status: RDIS:</b> <b>Where:</b> (a) Atawhai Assisi Retirement (Lot 1 DPS21156) alterations and additions that increase net floor area and that meet all of the following standards: (i) Land use – effects standards for the zone (ii) Land use – building standards for the zone except: (1) RLZ-S1 (Residential unit) does not apply; (2) RLZ-S2 (Minor residential units) does not apply; (3) RLZ-S7 (Building coverage) does not apply.  <b>Council's discretion is restricted to the following matters:</b> (b) Effects on rural character and amenity; (c) The visual and amenity effects of building bulk and scale; (d) Connectivity to, and capacity of, existing towns and villages, including connections to existing walkways, roads, and public transport; (e) Connectivity to public reticulated water supply and wastewater, or the adequacy of services provided on-site; (f) Reverse sensitivity effects on existing farming, intensive farming, rural industry, or quarrying activities; and (g) Traffic effects.
<b>RLZ-R11</b>	Educational facilities (other than childcare) [000049, 000078, 000086, 000055] {000042, 000079, 000087, 000051, 000044, 000048, 000027, 000058}
<b>(1) Activity status: RDIS</b> <b>Activity-specific standards:</b> Nil.  <b>Council's discretion is restricted to the following matters:</b>	<b>(2) Activity status where compliance not achieved: n/a</b>

Part 3: Area-specific matters / Zones / Rural zones / RLZ – Rural lifestyle zone

<p>(a) The extent to which it is necessary to locate the activity in the RLZ – Rural lifestyle zone;</p> <p>(b) Reverse sensitivity effects of adjacent activities;</p> <p>(c) The extent to which the activity may adversely impact on the transport network;</p> <p>(d) The extent to which the activity may adversely impact on the streetscape, character and amenity of the neighbour, with particular regard to the bulk and location of the buildings; and</p> <p>(e) The extent to which the activity may adversely impact on the noise environment.</p>	
<b>RLZ-R12</b>	A commercial activity (excluding produce stall) [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(I) Activity status: DIS</b>	
<b>RLZ-R13</b>	A community facility [000049, 000078, 000086, 000055] {000079, 000051, 000044, 000058}
<b>(I) Activity status: DIS</b>	
<b>RLZ-R14</b>	A funeral home and/or crematorium [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(I) Activity status: DIS</b>	
<b>RLZ-R15</b>	A health facility [000049, 000078, 000086, 000055] {000079, 000051, 000044, 000048, 000058}
<b>(I) Activity status: DIS</b>	
<b>RLZ-R16</b>	A hospital, or a hospice with 10 or more beds [000049, 000078, 000086, 000055] {000079, 000051, 000044, 000048, 000058}
<b>(I) Activity status: DIS</b>	
<b>RLZ-R17</b>	An industrial activity [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(I) Activity status: DIS</b>	
<b>RLZ-R18</b>	Any activity that is not listed as permitted, controlled, restricted discretionary, discretionary or non-complying [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(I) Activity status: DIS</b>	
<b>RLZ-R19</b>	Any new building for a sensitive land use, or addition to an existing building that involves an increase in the building envelope or height for a sensitive land use, within the National Grid Yard [000049, 000078, 000086, 000074, 000055] {000079, 000051, 000044, 000058}
<b>(I) Activity status: NC</b>	
<b>RLZ-R20</b>	Any change of use of an existing building to a sensitive land use within the National Grid Yard [000049, 000078, 000086, 000074, 000055] {000079, 000051, 000044, 000058}
<b>(I) Activity status: NC</b>	
<b>RLZ-R21</b>	The establishment of any new sensitive land use within the National Grid Yard [000049, 000078, 000086, 000074, 000055] {000079, 000051, 000058}



<b>(I) Activity status: NC</b>	
<b>RLZ-R22</b>	Dairy/milking sheds (excluding accessory structures and buildings), commercial greenhouses, Pseudomonas syringae pv. Actinidiae (Psa) disease control structures, or buildings for intensive farming within the National Grid Yard [000049, 000078, 000086, 000074, 000055] {000079, 000051, 000058}
<b>(I) Activity status: NC</b>	
<b>RLZ-R23</b>	A correctional facility [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(I) Activity status: NC</b>	
<b>RLZ-R24</b>	Quarrying activities [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(I) Activity status: NC</b>	
<b>RLZ-R25</b>	A retirement village [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(I) Activity status: NC</b>	
<b>RLZ-R26</b>	Multi-unit development [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(I) Activity status: NC</b>	
<b>RLZ-R27</b>	Intensive farming [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(I) Activity status: NC</b>	
<b>RLZ-R28</b>	Transport depot [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(I) Activity status: NC</b>	
<b>RLZ-R29</b>	Motorised sport and recreation [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(I) Activity status: NC</b>	
<b>RLZ-R30</b>	A child care facility within the Hamilton Airport Noise Outer Control Boundary [000049, 000078, 000086, 000075, 000055] {000079, 000051, 000058}
<b>(I) Activity status: NC</b>	
<b>RLZ-R31</b>	A hospital or hospice within the Hamilton Airport Noise Outer Control Boundary [000049, 000078, 000086, 000075, 000055] {000079, 000051, 000058}
<b>(I) Activity status: NC</b>	
<b>RLZ-R32</b>	Construction of a building on an indicative road [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(I) Activity status: NC</b>	
<b>RLZ-R33</b>	A waste management facility [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(I) Activity status: NC</b>	
<b>RLZ-R34</b>	Storage, processing or disposal of hazardous waste [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(I) Activity status: NC</b>	
<b>RLZ-R35</b>	Industrial activity within the Urban Expansion Area [000049, 000078, 000086, 000055] {000079, 000051, 000058}
<b>(I) Activity status: NC</b>	
<b>RLZ-R36</b>	Rural industry within the Urban Expansion Area [000049, 000078, 000086, 000055] {000079, 000051, 000058}

**(I) Activity status: NC**

Land use – building

<b>RLZ-S1</b>	Residential unit [000049, 000078, 000086, 000055] {000079, 000051, 000044, 000064, 000048, 000058}
<p><b>(I) Activity status: PER</b></p> <p><b>Where:</b></p> <p>(a) One residential unit within a Record of Title;</p> <p>(b) The residential unit must not be located within any of the following landscape and natural character areas:</p> <p>(i) Outstanding Natural Feature;</p> <p>(ii) Outstanding Natural Landscape;</p> <p>(iii) Outstanding Natural Character Area of the coastal environment;</p> <p>(iv) High Natural Character Area of the coastal environment.</p>	<p><b>(2) Activity status where compliance not achieved: DIS</b></p>
<b>RLZ-S2</b>	Minor residential unit [000049, 000078, 000086, 000055] {000079, 000051, 000044, 000058}
<p><b>(I) Activity status: PER</b></p> <p><b>Where:</b></p> <p>(a) A maximum of one minor residential unit within a Record of Title must comply with the following standards:</p> <p>(i) Not exceed 70m<sup>2</sup> gross floor area;</p> <p>(ii) Be located within 20m of the principal residential unit;</p> <p>(iii) Share a single driveway access with the principal residential unit.</p>	<p><b>(2) Activity status where compliance not achieved: DIS</b></p>
<b>RLZ-S3</b>	Height – building general [000049, 000078, 000086, 000055] {000079, 000051, 000064, 000058}
<p><b>(I) Activity status: PER</b></p> <p><b>Where:</b></p> <p>(a) The maximum height of any building or structure measured from the natural ground level immediately below that part of the structure must not exceed 7.5m.</p> <p>(b) Chimneys not exceeding 1m in width and finials shall not exceed a maximum height of 9.5m measured from the natural ground level immediately below the structure;</p> <p>(c)</p>	<p><b>(2) Activity status where compliance not achieved: RDIS</b></p> <p><b>Council’s discretion is restricted to the following matters:</b></p> <p>(a) Height of the building;</p> <p>(b) Design and location of the building;</p> <p>(c) Extent of shading on adjacent site;</p> <p>(d) Privacy on any other site; and</p> <p>(e) Effects on amenity values of the locality.</p>
<b>RLZ-S4</b>	Height – building general [000049, 000078, 000086, 000055] {000079, 000051, 000064, 000058}
<p><b>(I) Activity status: CON</b></p> <p><b>Where:</b></p>	<p><b>(2) Activity status where compliance not achieved: DIS</b></p>

<p>(a) The height of emergency services facilities (excluding hose drying towers) measured from the natural ground level immediately below that part of the structure must not exceed 9m.</p> <p><b>Council's control is reserved over the following matters:</b></p> <p>(a) Location on the site;                  (b) Dominance on adjoining sites; and                  (c) Design.</p>	
<p><b>RLZ-S5</b></p>	<p>Height – building general [000049, 000078, 000086, 000055] {000079, 000051, 000064, 000058}</p>
<p><b>(1) Activity status: CON</b></p> <p><b>Where:</b></p> <p>(a) The maximum height of emergency services hose drying towers measured from the natural ground level immediately below that part of the structure must not exceed 15m.</p> <p><b>Council's control is reserved over the following matters:</b></p> <p>(b) Location on the site;                  (c) Dominance on adjoining sites; and                  (d) Design.</p>	<p><b>(2) Activity status where compliance not achieved: DIS</b></p>
<p><b>RLZ-S6</b></p>	<p>Height in relation to boundary [000049, 000078, 000086, 000055] {000079, 000051, 000064, 000069, 000058}</p>
<p><b>(1) Activity status: PER</b></p> <p><b>Where:</b></p> <p>(a) Buildings and structures must not protrude through a height control plane rising at an angle of 45 degrees commencing at an elevation of 2.5m above ground level at every point of the site boundary.</p>	<p><b>(2) Activity status where compliance not achieved: RDIS</b></p> <p><b>Council's discretion is restricted to the following matters:</b></p> <p>(a) Height of the building;                  (b) Design and location of the building;                  (c) Extent of shading on adjacent site;                  (d) Privacy on any other site; and                  (e) Effects on amenity values of the locality.</p>
<p><b>RLZ-S7</b></p>	<p>Building coverage [000049, 000078, 000086, 000055] {000079, 000051, 000069, 000064, 000058}</p>
<p><b>(1) Activity status: PER</b></p> <p><b>Where:</b></p> <p>(a) The building coverage must not exceed 10% of the site or 300m<sup>2</sup>, whichever is the larger.                  (b) RLZ-S7(1)(a) does not apply:                  (i) To a structure that is not a building;                  or</p>	<p><b>(2) Activity status where compliance not achieved: RDIS</b></p> <p><b>Council's discretion is restricted to the following matter:</b></p> <p>(a) Design, scale and location of the building.</p>

	(ii) Eaves of a building that project less than 750mm horizontally from the exterior wall of the building	
<b>RLZ-S8</b>	Impervious surfaces [000049, 000078, 000086, 000055] {000079, 000051, 000064, 000058}	
<b>(1) Activity status: PER</b> <b>Where:</b> (a) The impervious surface of a site must not exceed 70%.		<b>(2) Activity status where compliance not achieved: RDIS</b> <b>Council's discretion is restricted to the following matters:</b> (a) Site design, layout and amenity; (b) The risk of flooding, nuisance or damage to the site or other buildings and sites.
<b>RLZ-S9</b>	Building setbacks – all boundaries [000049, 000078, 000086, 000055] {000042, 000079, 000087, 000051, 000064, 000069, 000027, 000058, 000048}	
<b>(1) Activity status: PER</b> <b>Where:</b> (a) A building located on a site Record of Title containing more than 1000m <sup>2</sup> must be set back a minimum of: (i) 7.5m from a road boundary; (ii) 17.5m from the centre line of an indicative road; (iii) 12m from every boundary other than a road boundary. (b) RLZ-S9(1)(a)(ii) does not apply where the indicative road has been formed, is open to the public and has been vested in Council. (c) RLZ-S9(1)(a)(ii) does not apply to a structure which is not a building.		<b>(2) Activity status where compliance not achieved: RDIS</b> <b>Council's discretion is restricted to the following matters:</b> (a) Amenity values; (b) Transport network safety and efficiency; (c) Daylight admission to adjoining properties; (d) Effects on privacy of adjoining sites; and (e) Reverse sensitivity effects.
<b>RLZ-S10</b>	Building setbacks – all boundaries [000049, 000078, 000086, 000055] {000042, 000079, 000087, 000051, 000064, 000069, 000027, 000058, 000048}	
<b>(1) Activity status: PER</b> <b>Where:</b> (a) Any building located on a lot containing 1000m <sup>2</sup> or less must be set back a minimum of: (i) 3m from a road boundary; (ii) 1.5m from every boundary other than a road boundary; (iii) 24m from an existing dwelling residential unit on any adjoining site. (b) RLZ-S10(1)(a) does not apply to a structure which is not a building.		<b>(2) Activity status where compliance not achieved: RDIS</b> <b>Council's discretion is restricted to the following matters:</b> (a) Amenity values; (b) Transport network safety and efficiency; (c) Daylight admission to adjoining properties; (d) Effects on privacy of adjoining sites; and (e) Reverse sensitivity effects.
<b>RLZ-S11</b>	Building setback - sensitive land use [000049, 000078, 000086, 000055, 000048] {000042, 000079, 000047, 000087, 000051, 000044, 000064, 000027, 000058, 000048}	

<p><b>(1) Activity status: PER</b>  <b>Where:</b></p> <p>(a) Any new building or alteration to an existing building for a sensitive land use must be set back a minimum of:</p> <ul style="list-style-type: none"> <li>(i) 15m from a national route or regional arterial boundary;</li> <li>(ii) 35m from the designated boundary of the Waikato Expressway;</li> <li>(iii) 200m from an Aggregate Extraction Area containing a sand resource;</li> <li>(iv) 500m from an Aggregate Extraction Area containing a rock resource;</li> <li>(v) 300m from the boundary of another site containing an intensive farming activity;</li> <li>(vi) 300m from oxidation ponds that are part of a municipal wastewater treatment facility on another site;</li> <li>(vii) 30m from a municipal wastewater treatment facility where the treatment process is fully enclosed.</li> </ul>	<p><b>(2) Activity status where compliance not achieved: RDIS</b>  <b>Council's discretion is restricted to the following matters:</b></p> <ul style="list-style-type: none"> <li>(a) Road network safety and efficiency;</li> <li>(b) On-site amenity values;</li> <li>(c) Odour, dust and noise levels received at the notional boundary of the building;</li> <li>(d) Mitigation measures; and</li> <li>(e) Potential for reverse sensitivity effects.</li> </ul>
<p><b>RLZ-S12</b></p>	<p>Building setback - sensitive land use [000049, 000078, 000086, 000055, 000044] {000079, 000047, 000051, 000044, 000064, 000048, 000058}</p>
<p><b>(1) Activity status: PER</b>  <b>Where:</b></p> <p>(a) Any new building or alteration to an existing building for a sensitive land use must be set back a minimum of 5m from the designated boundary of the railway corridor.</p>	<p><b>(2) Activity status where compliance not achieved: RDIS</b>  <b>Council's discretion is restricted to the following matters:</b></p> <ul style="list-style-type: none"> <li>(a) The size, nature and location of the buildings on the site;</li> <li>(b) The extent to which the safety and efficiency of rail and road operations will be adversely affected;</li> <li>(c) The outcome of any consultation with KiwiRail; and</li> <li>(d) Any characteristics of the proposed use that will make compliance unnecessary.</li> </ul>
<p><b>RLZ-S13</b></p>	<p>Building setbacks from Tamahere Commercial Areas and A and B [000049, 000078, 000086, 000055] {000042, 000079, 000087, 000051, 000064, 000027, 000058}</p>
<p><b>(1) Activity status: PER</b>  <b>Where:</b></p> <p>(a) Any new building for a sensitive land use or alteration to an existing building for a sensitive land use must be:</p> <ul style="list-style-type: none"> <li>(i) Set back at least 100m from Tamahere Commercial Area A; or</li> <li>(ii) Within 100m of Tamahere Commercial Area A providing:</li> </ul>	<p><b>(2) Activity status where compliance not achieved: RDIS</b>  <b>Council's discretion is restricted to the following matters:</b></p> <ul style="list-style-type: none"> <li>(a) Reverse sensitivity;</li> <li>(b) The means to avoid, remedy or mitigate adverse effects on amenity within the site;</li> </ul>

<p>(1) The alteration is to a residential unit that has existed since 30 June 2012;</p> <p>(2) No part of the alteration is located between the existing residential unit and any boundary of Tamahere Commercial Area A; and</p> <p>(3) It is designed and constructed to achieve the internal design sound level specified in APP1 – Acoustic insulation, Table 25 – Internal sound levels.</p>	<p>(c) The setback distance from Tamahere Commercial Area A and Tamahere Commercial Area B; and</p> <p>(d) The position, orientation and design of the building and outdoor living court in relation to Tamahere Commercial Area A and Tamahere Commercial Area B.</p>
<p><b>RLZ-S14</b></p>	<p>Building setbacks from Tamahere Commercial Areas and A and B [000049, 000078, 000086, 000055] {000042, 000079, 000087, 000051, 000064, 000027, 000058}</p>
<p><b>(1) Activity status: PER</b> <b>Where:</b></p> <p>(a) Any new building or alteration to an existing building for a sensitive land use must be:</p> <p>(i) Set back at least 100m from Tamahere Commercial Area B; or</p> <p>(ii) Within 100m of Tamahere Commercial Area B and either:</p> <p>(1) the alteration is to a residential unit that has existed since 30 June 2012 and no part of the alteration is located between the existing residential unit and boundary of Tamahere Commercial Area B; or</p> <p>(2) it is a new residential unit that is placed within the building platform approved in the course of any subdivision and it is designed and constructed to achieve the internal design sound level specified in APP1 – Acoustic insulation, Table 25 – Internal sound levels</p> <p>(3) Within Tamahere Commercial Area B, be designed and constructed to achieve the internal design sound level specified in APP1 – Acoustic insulation, Table 25 – Internal sound levels</p>	<p><b>(2) Activity status where compliance not achieved: RDIS</b> <b>Council's discretion is restricted to the following matters:</b></p> <p>(a) Reverse sensitivity;</p> <p>(b) The means to avoid, remedy or mitigate adverse effects on amenity within the site;</p> <p>(c) The setback distance from Tamahere Commercial Area A and Tamahere Commercial Area B; and</p> <p>(d) The position, orientation and design of the building and outdoor living court in relation to Tamahere Commercial Area A and Tamahere Commercial Area B.</p>
<p><b>RLZ-S15</b></p>	<p>Building setback – waterbodies [000049, 000078, 000086, 000055] {000079, 000083, 000051, 000064, 000058}</p>
<p><b>(1) Activity status: PER</b> <b>Where:</b></p> <p>(a) Any building must be set back a minimum of:</p>	<p><b>(2) Activity status where compliance not achieved: RDIS</b> <b>Council's discretion is restricted to the following matters:</b></p>

Part 3: Area-specific matters / Zones / Rural zones / RLZ – Rural lifestyle zone

<ul style="list-style-type: none"> <li>(i) 32m from the margin of any;             <ul style="list-style-type: none"> <li>(1) Lake over 4ha; and</li> <li>(2) Wetland;</li> </ul> </li> <li>(ii) 32m from the bank of any river (other than the Waikato River and Waipa River);</li> <li>(iii) 37m from the banks of the Waikato River and the Waipa River; and</li> <li>(iv) 32m from mean high water springs; or</li> <li>(v) 10m from the bank of a perennial or intermittent stream (named or unnamed)</li> <li>(vi) 10m from a managed wetland</li> <li>(b) A public amenity of up to 25m<sup>2</sup>, or a pump shed (public or private) within any building setback identified in RLZ-S15(1)(a);</li> <li>(c) A maimai structure with a maximum floor area of 10m<sup>2</sup> within any building setback identified in RLZ-S15(1)(a).</li> </ul>	<ul style="list-style-type: none"> <li>(a) Effects on the landscape, ecological, cultural and recreational values of the adjacent water body;</li> <li>(b) Adequacy of erosion and sediment control measures;</li> <li>(c) The functional or operational need for the building to be located close to the waterbody;</li> <li>(d) Effects on public access to the waterbody;</li> <li>(e) Effects on the amenity of the locality; and</li> <li>(f) Effects on natural character values.</li> </ul>
--	--

Advice note: Refer to the National Environmental Standard for Freshwater

<b>RLZ-S16</b>	Building setback – Environmental Protection Area [000049, 000078, 000086, 000055] {000079, 000051, 000064, 000058}
<p><b>(1) Activity status: PER</b></p> <p><b>Where:</b></p> <ul style="list-style-type: none"> <li>(a) Any building must be set back a minimum of 3m from an Environmental Protection Area.</li> </ul>	<p><b>(2) Activity status where compliance not achieved: DIS</b></p>
<b>RLZ-S17</b>	Building – Horotiu Noise Acoustic Area [000049, 000078, 000086, 000055] {000042, 000079, 000087, 000051, 000064, 000027, 000058}
<p><b>(1) Activity status: PER</b></p> <p><b>Where:</b></p> <ul style="list-style-type: none"> <li>(a) Construction, addition to, or alteration of a building containing a noise sensitive activity within the Horotiu Noise Acoustic Area that is designed and constructed to achieve the internal design sound levels specified in APP1 – Acoustic insulation, Table 22 – Internal design sound levels</li> </ul>	<p><b>(2) Activity status where compliance not achieved: RDIS</b></p> <p><b>Council’s discretion is restricted to the following matters:</b></p> <ul style="list-style-type: none"> <li>(a) On-site amenity values;</li> <li>(b) Noise levels received at the notional boundary of the building;</li> <li>(c) Timing and duration of noise received at the notional boundary of the building; and</li> <li>(d) Potential for reverse sensitivity effects.</li> </ul>