

Appendix I: Table of submission points

Land Stability

Submission number	Submitter	Support/oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
OS 2094.14	Kainga Ora Homes and Communities	Support	Retain Policy 15.2.1.19 - Development on land subject to instability or subsidence as notified	Accept	4.1
OS 2102.46	Waikato Regional Council	Support	Amend Policy 15.2.1.19 - Development on land subject to instability or subsidence as follows: “(a) Avoid locating new subdivision, use and development, including rezoning, on land assessed as being subject to, or likely to be subject to, instability or subsidence, unless appropriate mitigation is provided and the activity does not increase the risk to people, property, or infrastructure or the environment.”	Reject	4.1
OS 2102.47	Waikato Regional Council	Support	Amend Policy 15.2.1.21 - Stormwater management in areas subject to risk of land instability or subsidence as follows: “Policy 15.2.1.21 - Stormwater management in areas subject to risk of land instability or subsidence and other high-risk coastal hazard areas “(a) Avoid discharge of stormwater directly to ground on land that is potentially at risk of land instability or subsidence and other high-risk coastal hazard areas unless: [...]”	Reject	4.2
OS 2103.20	Fire and Emergency New Zealand	Support	Retain Policy 15.2.1.21 as proposed.	Accept	4.2
OS 2106.6	WEL Networks Limited	Support	Retain Policy 15.2.1.19 as proposed.	Accept	4.1
OS 2107.13	Heritage New Zealand Pouhere Taonga	Support	Amend Policy 15.2.1.19(a) - as follows: “(a) Avoid locating new subdivision, use and development, including rezoning, on land assessed as being subject to, or likely to be subject to, instability or subsidence, unless appropriate mitigation is	Reject	4.1

Submission number	Submitter	Support/oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
			provided and the activity does not increase the risk to people, property or infrastructure or historic heritage sites and areas of significance to Maaori.”		
OS 2128.5	Chris & Sue Harris	Oppose	Amend policy 15.2.1.21 - Storm management in areas of land instability or subsidence to include impacts of stormwater magnifying risk of flooding in coastal.	Reject	4.2
OS 2133.4	Adam Marsh & Carol McColl	Oppose	Amend Policy 15.2.1.21 - Stormwater management in areas subject to risk of land instability or subsidence - to include areas subject to coastal flooding.	Reject	4.2
OS 2173.21	Federated Farmers of New Zealand	Support	Amend Policy 15.2.1.19 – Development on land subject to instability or subsidence as follows: “...does not increase the risk to people, property or infrastructure beyond acceptable or tolerable levels.” AND Any consequential amendments that may be required.	Reject	4.1
<i>FS3027.10</i>	<i>Horticulture New Zealand</i>	<i>Support</i>	<i>Support OS 2173.21</i>	<i>Accept</i>	<i>4.1</i>
OS 2173.23	Federated Farmers of New Zealand	Support	Retain Policy 15.2.1.21 – Stormwater management in an area subject to risk of land instability or subsidence as notified.	Accept	4.2
OS 2177.3	Dennis Warrick Young	Support	Amend Policy 15.2.1.19 - Development on land subject to instability or subsidence.	Reject	4.1

Liquefaction

Submission number	Submitter	Support / oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
OS 2094.15	Kainga Ora Homes and Communities	Oppose	Delete Policy 15.2.1.22 - Liquefaction-Prone Risk Assessment	Reject	5.4
OS 2094.16	Kainga Ora Homes and Communities	Support	Amend Policy 15.2.1.23 as follows: Control subdivision, use and development on land assessed-identified as being susceptible to liquefaction-induced ground damage...	Reject	5.5
FS3003.7	Transpower New Zealand Ltd	Support	Support OS 2094.16		5.5
OS 2094.50	Kainga Ora Homes and Communities	Oppose	Delete Section 15.12.1 Overview of method regarding liquefaction.	Reject	5.7
OS 2094.51	Kainga Ora Homes and Communities	Support	Retain Rule 15.12.2, provided Council identifies areas susceptible to liquefaction.	Accept	5.8
OS 2094.52	Kainga Ora Homes and Communities	Oppose	Delete Rule 15.12.3.	Reject	5.9
OS 2094.53	Kainga Ora Homes and Communities	Oppose	Delete Section 15.13.2 Liquefaction potential.	Reject	5.10
FS3027.54	Horticulture New Zealand	Support	Support OS 2094.53	Reject	5.10
OS 2094.89	Kainga Ora Homes and Communities	Support	Amend the approach to liquefaction by Council identifying areas subject to liquefaction risk and providing a framework to appropriately manage the risk to people's safety, wellbeing and property.	Accept	5.1
OS 2101.10	Transpower New Zealand Ltd	Support	Amend Policy 15.2.1.22(a) as follows: (a) On land <u>identified as</u> potentially prone to liquefaction, ensure that: (i) ... OR	Accept	5.4

Submission number	Submitter	Support / oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
			Amend Policy 15.2.1.22(a) as follows: (a) On land <u>assessed as</u> potentially prone to liquefaction...		
OS 2101.11	Transpower New Zealand Ltd	Support	Retain Policy 15.2.1.23.	Accept	5.5
OS 2101.22	Transpower New Zealand Ltd	Neutral	Amend Section 15.12.1 - Liquefaction – Overview of methods to clarify that the requirement to assess and address liquefaction risk does not apply to all resource consents only to specifically identified subdivision, multi-unit, and comprehensive development activities.	Reject	5.7
OS 2101.23	Transpower New Zealand Ltd	Neutral	Amend rule 15.12.2 by adding matters of restricted discretion to clarify that the requirement to assess and address liquefaction risk does not apply to all resource consents only to specifically identified subdivision, multi-unit, and comprehensive development activities.	Reject	5.8
FS3033.4	<i>Kainga Ora - Homes and Communities</i>	<i>Oppose</i>	<i>Oppose OS 2101.23</i>	<i>Accept in Part</i>	<i>5.8</i>
OS 2101.24	Transpower New Zealand Ltd	Neutral	Amend rule 15.12.3 by adding matters of restricted discretion to clarify that the requirement to assess and address liquefaction risk does not apply to all resource consents only to specifically identified subdivision, multi-unit, and comprehensive development activities.	Reject	5.9
FS3033.5	<i>Kainga Ora - Homes and Communities</i>	<i>Oppose</i>	<i>Oppose OS 2101.24</i>	<i>Accept in Part</i>	<i>5.9</i>
FS3027.49	<i>Horticulture New Zealand</i>	<i>Support</i>	<i>Support OS 2101.24</i>	<i>Reject</i>	<i>5.9</i>
OS 2102.43	Waikato Regional Council	Support	Amend Chapter 15.14 - Definitions to confirm how liquefaction risk may be identified by plan users without the need for expert assessment. OR	Reject	5.11

Submission number	Submitter	Support / oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
			Amend Section 15.1 (6) - Introduction to confirm how liquefaction risk may be identified by plan users without the need for expert assessment.		
FS3027.38	Horticulture New Zealand	Support	Support OS 2102.43	Reject	5.11
OS 2102.44	Waikato Regional Council	Support	Amend Policy 15.2.1.22 - Liquefaction-prone land risk assessment as follows: Policy 15.2.1.22 - Liquefaction- prone-susceptible land risk assessment (a) On land potentially prone-susceptible to liquefaction, ensure that: (i) an assessment by a geotechnical specialist occurs before new subdivision, use or development takes place is provided for ; and [...]	Accept	5.4
OS 2102.45	Waikato Regional Council	Support	Amend Policy 15.2.1.23 – Control activities on land susceptible to damage from liquefaction as follows: Policy 15.2.1.23 – Control activities on land susceptible to damage from liquefaction (a) Control subdivision, use and development on land assessed as being susceptible to liquefaction-induced ground damage, to ensure that where appropriate <u>avoidance, remediation or</u> mitigation is provided so that the level of risk to people, property, infrastructure and the environment is acceptable.	Reject	5.5
OS 2103.21	Fire and Emergency New Zealand	Support	Retain Policy 15.2.1.22 as proposed.	Reject	5.4
OS 2103.22	Fire and Emergency New Zealand	Support	Retain Policy 15.2.1.23 as proposed.	Accept	5.5

Submission number	Submitter	Support / oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
OS 2105.2	Perry Group Limited	Support	Amend Section 15.1 (14) - Introduction as follows: (14) While liquefaction areas have not been identified on the planning maps, provision in the District Plan require this seismically induced natural hazard to be assessed before new zonings or subdivision and development are undertaken.	Reject	5.3
FS3031.115	Waikato Regional Council	Oppose	Oppose OS 2105.2	Accept	5.3
OS 2139.13	Ports of Auckland Limited	Support	Retain Section 15.12 Liquefaction as notified.	Accept	5.6
OS 2146.8	Waikato District Council	Support	Add to Policy 15.2.1.22(a) - Liquefaction-prone land risk assessment a sub- section to read as follows: <u>(iii) the assessment confirms that the land is suitable for the proposed development,</u> AND Amend Policy 15.2.1.22(a)(i) and (ii) - Liquefaction-prone land risk assessment to read: (i) an assessment by a geotechnical specialist occurs before new subdivision, use or development takes places; and (ii) the level of assessment reflects the type and scale of the subdivision, use or development and the overall vulnerability of the activity to the effects of liquefactions., <u>and</u> , AND Any consequential amendments as required, AND Any other change necessary to give effect to the intent of this relief sought and to achieve the purpose of the Resource Management Act 1991.	Accept	5.4
OS 2147.2	Pokeno Village Holdings Limited	Support	Amend all rules within the zone chapters that state ... "including liquefaction risk (refer to Chapter 15)", as follows: ... including liquefaction risk (refer Rule 15.12 Liquefaction to Chapter 15)	Accept in Part	5.6

Submission number	Submitter	Support / oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
OS 2147.3	Pokeno Village Holdings Limited	Support	Amend Chapter 15.12 Liquefaction approach to assessing effects of liquefaction to (a) Provide a high-level study to identify areas of likely liquefaction risk and that these are shown within a non-statutory overlay; and (b) Required detailed investigations into liquefaction risks for any proposed development within these identified areas.	Accept in Part	5.6
OS 2161.13	Dilworth Trust Board	Support	Retain Section 15.12 Liquefaction (whole section) as notified.	Accept	5.6
OS 2173.24	Federated Farmers of New Zealand	Support	Retain Policy 15.2.1.22 – Liquefaction-prone land risk assessment as notified.	Reject	5.4
OS 2173.25	Federated Farmers of New Zealand	Support	Retain Policy 15.2.1.23 – Control activities on land susceptible to damage from liquefaction as notified.	Accept	5.5

Mine Subsidence

Submission number	Submitter	Support/ oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
OS 2024.1	Elaine & Eric Wright	Support	Amend Map 20.2 Huntly East to remove Mine Subsidence Risk Area off 81 Bailey Street, Huntly.	Accept	6.14
FS3032.1	Timberline Contracting	Support	Support OS 2024.1	Accept	6.14
OS 2032.1	Blair Everett	Support	Amend the Mine Subsidence Risk Area overlay on Map 20.2 Huntly East by removing the overlay area entirely from the property at 201 Hakanoa St.	Accept	6.14

Submission number	Submitter	Support/oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
FS3032.2	Timberline Contracting	Support	Support OS 2032.1	Accept	6.14
OS 2040.12	Spark New Zealand Trading Limited	Oppose	Amend Rule 15.11.1 P4 such that it does not apply to telecommunications utilities.	Reject	6.7
OS 2064.1	Tamara Pairaudeau	Oppose	Amend Map 20.2 Huntly East to exclude 15 Russell Road, Huntly from the Mine Subsidence Risk Zone.	Accept	6.14
FS3032.4	Timberline Contracting	Support	Support OS 2064.1	Accept	6.14
OS 2090.1	Scott Foster	Support	Clarification sought on the determination of the Mine Subsidence Risk Area boundary within 42 Bailey Street Huntly. And Potentially amend the Mine Subsidence Risk Area within 42 Bailey Street, Huntly.	Accept	6.14
FS3032.5	Timberline Contracting	Support	Support OS 2090.1	Accept	6.14
OS 2094.44	Kainga Ora Homes and Communities	Support	Retain Rule 15.11.1 P1 as notified	Accept	6.4
FS3020.1	Shand Properties Limited	Support	Support OS 2094.44	Accept	6.4
FS3032.6	Timberline Contracting	Oppose	Oppose OS 2094.44	Reject	6.4
OS 2094.45	Kainga Ora Homes and Communities	Support	Retain Rule 15.11.1 P2 as notified	Accept	6.5
FS3020.2	Shand Properties Limited	Support	Support OS 2094.45	Accept	6.5

Submission number	Submitter	Support/oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
FS3032.7	Timberline Contracting	Oppose	Oppose OS 2094.45	Reject	6.5
OS 2094.46	Kainga Ora Homes and Communities	Support	Retain Rule 15.11.1 P4 as notified	Accept	6.7
FS3020.3	Shand Properties Limited	Support	Support OS 2094.46	Accept	6.7
FS3032.8	Timberline Contracting	Oppose	Oppose OS 2094.46	Reject	6.7
OS 2094.47	Kainga Ora Homes and Communities	Support	Retain Rule 15.11.2 RDI as notified	Accept	6.9
FS3020.4	Shand Properties Limited	Support	Support OS 2094.47	Accept	6.9
FS3032.9	Timberline Contracting	Oppose	Oppose OS 2094.47	Reject	6.9
OS 2094.48	Kainga Ora Homes and Communities	Oppose	<p>Amend the activity status of Rule 15.11.3 DI from Discretionary activity to Restricted Discretionary Activity AND Amend Rule 15.11.3 DI as follows: <u>Construction of a new building, or accessory building or the reconstruction of or additions to an existing building not provided for in Rule 15.11.1 PI – P3.</u> AND Add the following matters of discretion as follows: <u>(a)Construction standards and materials.</u> <u>(b) Suitability of the site for development.</u> <u>(c)The potential effects on health and safety.</u></p>	Accept in Part	6.11
FS3020.5	Shand Properties Limited	Oppose	Oppose OS 2094.48	Accept in Part	6.11

Submission number	Submitter	Support/oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
FS3032.10	Timberline Contracting	Support	Support OS 2094.48	Accept in Part	6.11
OS 2094.49	Kainga Ora Homes and Communities	Support	Retain Rule 15.11.3 D2 as notified, subject to re numbering as D1	Accept	6.12
FS3020.6	Shand Properties Limited	Oppose	Oppose OS 2094.49	Accept	6.12
FS3032.11	Timberline Contracting	Oppose	Oppose OS 2094.49	Reject	6.12
OS 2094.64	Kainga Ora Homes and Communities	Support	Retain the definition of “Mine subsidence risk area” in section 15.14, and definition these to Chapter 13 of PWDP.	Accept	6.13
FS3017.3	Noel Smith	Support	Support OS 2094.64	Accept	6.13
FS3020.7	Shand Properties Limited	Oppose	Oppose OS 2094.64	Accept in Part	6.13
FS3032.12	Timberline Contracting	Support	Support OS 2094.64	Accept	6.13
OS 2094.67	Kainga Ora Homes and Communities	Support	Retain the definition of “Standalone garage” in section 15.14, and relocate definition to Chapter 13 of PWDP.	Accept in Part	6.13
OS 2094.69	Kainga Ora Homes and Communities	Support	Amend the approach taken to hazard overlay in the Planning Maps by adopting the Auckland Unitary Plan wording/approach for ‘Liquefaction Management Areas’ and for any other maps that are not sufficiently accurate to determine if a site is affected. This approach comprises non-statutory interactive maps of hazard areas outside the district plan..... AND Add text to clarify that the rules of the plan are not applied on the basis of mapping where a non-statutory mapping approach is adopted.	Accept in Part	5.1.3
OS 2103.19	Fire and Emergency New Zealand	Support	Retain Policy 15.2.1.20 as proposed.	Accept	6.1

Submission number	Submitter	Support/ oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
OS 2103.39	Fire and Emergency New Zealand	Support	Retain Section 15.11 as proposed.	Rejected	6.2
OS 2106.26	WEL Networks Limited	Support	Amend Rule 15.11.1 P3 as follows: Construction, replacement, repair, minor upgrading, upgrading or maintenance of utilities and associated earthworks.	Accept	6.6
FS3010.7	KiwiRail Holdings Limited	Support	Support OS 2106.26	Accept	6.6
OS 2106.27	WEL Networks Limited	Support	Retain Rule 15.11.1 P4, subject to the amendment sought in 15.11.1 P3.	Accept	6.7
OS 2120.1	Sushil Kumar	Oppose	Amend Planning Map 20.2 - Huntly East so that Mine Subsidence Risk Area does not affect the area around the property located at 35 Russell Road Huntly.	Accept	6.14
FS3032.14	Timberline Contracting	Support	Support OS 2120.1	Accept	6.14
OS 2136.1	Shand Properties Ltd	Oppose	Add a new rule under Section 15.11 Mine Subsidence Risk Area for Controlled Activities as follows: <u>CI: The construction or alteration of a building that is not provided for under District Plan Rule 15.11.1 where a Consent Notice is registered against the Record of Title confirming that a geotechnical assessment has been approved at the time of subdivision and the approved geotechnical report confirms that the ground is suitable for development and the development is in accordance with any recommendations of the geotechnical report.</u> <u>Control is restricted to:</u>	Accept	6.2

Submission number	Submitter	Support/ oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
			<p><u>The requirements and recommendations of the geotechnical report approved at the time of subdivision.</u></p> <p><u>That confirmation is provided from a suitably experienced and qualified geotechnical engineer that confirms the proposed development is consistent with the recommendations and requirements of the geotechnical report approved at the time of subdivision.</u></p> <p>AND Amend rule 15.11.3 Discretionary Activities, D1 to read “Construction of a building or additions to an existing building not provided for in Rule 15.11.1 P1- P3 <u>or CI</u>”, AND Any consequential and subsequent amendments, including renumbering, as required. OR Amend Section 15.11 Mine Subsidence Risk Area for Controlled Activities to reflect similar drafting relief that avoids the inefficiencies of a duplicate discretionary activity status between subdivision and land use consenting stages.</p>		
FS3032.15	Timberline Contracting	Support	Support OS 2136.1	Reject	6.2
FS3032.16	Timberline Contracting	Support	Support OS 2136.1	Reject	6.2
OS 2138.2	RG de Leeuw Construction Limited	Oppose	Amend Rule 15.11.1 Mine Subsidence Risk Area, Permitted Activities to include single dwellings as a permitted activity.	Reject	6.3
FS3032.17	Timberline Contracting	Support	Support OS 2138.2	Reject	6.3

Submission number	Submitter	Support/oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
FS3020.8	Shand Properties Limited	Oppose	Oppose OS 2138.2	Accept	6.3
OS 2138.3	RG de Leeuw Construction Limited	Oppose	Amend Rule 15.11.2 Mine Subsidence Risk Area, Restricted Discretionary Activities to include subdivision as a restricted discretionary activity and retain the identified matters to which discretion is restricted.	Reject	6.8
FS3020.9	Shand Properties Limited	Oppose	Oppose OS 2138.3	Accept	6.8
FS3032.18	Timberline Contracting	Support	Support OS 2138.3	Reject	6.8
OS 2138.4	RG de Leeuw Construction Limited	Oppose	Delete Rule 15.11.3 Mine Subsidence Risk Area, Discretionary Activities.	Accept in Part	6.10
FS3020.10	Shand Properties Limited	Oppose	Oppose OS 2138.4	Accept in Part	6.10
FS3032.19	Timberline Contracting	Support	Support OS 2138.4	Accept in Part	6.10
OS 2145.1	Sushil Kumar	Oppose	Amend Map 20.2 Huntly East so that the Mine Subsidence Risk Area is not added at 35 Russell Road, Huntly.	Accept	6.15
FS3032.20	Timberline Contracting	Support	Support OS 2145.1	Accept	6.15
OS 2147.5	Pokeno Village Holdings Ltd	Support	Add , at a minimum, non-statutory hazard maps showing areas that warrant detailed liquefaction investigations and flood assessments.	Accept	5.1.3
FS3034.69	Mercury NZ Limited	Support	Support OS 2147.5	Accept	5.1.3

Submission number	Submitter	Support/oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
OS 2151.20	Waikato-Tainui Te Kauhanganui Incorporated	Support	Retain 15.11 Mine Subsidence Risk Area.	Reject	6.2
FS3020.11	Shand Properties Limited	Neutral	Neutral OS 2151.20	Accept	6.2
OS 2173.22	Federated Farmers of New Zealand	Support	Retain Policy 15.2.1.20 – Development of land in the Mine Subsidence Risk Area as notified.	Accept	6.1
FS3020.12	Shand Properties Limited	Support	Support OS 2173.22	Accept	6.1
FS3032.24	Timberline Contracting	Oppose	Oppose OS 2173.22	Reject	6.1
OS 2173.82	Federated Farmers of New Zealand	Support	Retain the definition of Mine Subsidence Risk Area in Chapter 15.14 Definitions, subject to appropriate refinement through the Schedule 1 process.	Accept in Part	6.13
FS3020.13	Shand Properties Limited	Support	Support OS 2173.82	Accept in Part	6.13
FS3032.25	Timberline Contracting	Support	Support OS 2173.82	Accept in Part	6.13
OS 2173.85	Federated Farmers of New Zealand	Support	Retain the definition of Standalone Garage in Chapter 15.14 Definitions as notified.	Accept in Part	6.13
OS 2177.1	Dennis Warrick Young	Support	Amend Map 20.2 Huntly East the Mine Subsidence Risk Area on: <ul style="list-style-type: none"> · 44 Rosser Street, Huntly; · 3, 5, 7, 9, 11, 13 Vincent Aspley Place; and · 5 Willoughby Place. 	Reject	6.14
FS3032.26	Timberline Contracting	Support	Support OS 2177.1	Reject	6.14

Submission number	Submitter	Support/ oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
OS 2177.4	Dennis Warrick Young	Support	Amend Chapter 15.11 Mine Subsidence Risk Area.	Reject	6.2
FS3032.27	Timberline Contracting	Support	Support OS 2177.4	Accept	6.2
OS 2183.1	Falesa & Leitu Fesolai Sila	Support	Retain Rule 15.11.1 Mine Subsidence Risk Area, Permitted Activities.	Accept	6.3
FS3020.14	Shand Properties Limited	Support	Support OS 2183.1	Accept	6.3
FS3032.28	Timberline Contracting	Oppose	Oppose OS 2183.1	Reject	6.3
OS 2183.2	Falesa & Leitu Fesolai Sila	Support	Retain Rule 15.11.2 Mine Subsidence Risk Area, Restricted Discretionary Activities.	Accept	6.8
FS3020.17	Shand Properties Limited	Support	Support OS 2183.2	Accept	6.8
OS 2183.3	Falesa & Leitu Fesolai Sila	Support	Retain Rule 15.11.3 Mine Subsidence Risk Area, Discretionary Activities.	Accept in Part	6.10
FS3032.29	Timberline Contracting	Oppose	Oppose OS 2183.3	Accept in Part	6.10
FS3020.20	Shand Properties Limited	Support	Support OS 2183.3	Accept in Part	6.10
FS3032.29	Timberline Contracting	Oppose	Oppose OS 2183.3	Accept in Part	6.10
OS 2185.1	Falesa & Leitu Fesolai Sila	Support	Retain Rule 15.11.1 Mine Subsidence Risk Area, Permitted Activities.	Accept	6.3
FS3020.15	Shand Properties Limited	Support	Support OS 2185.1	Accept	6.3

Submission number	Submitter	Support/ oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
FS3032.30	Timberline Contracting	Oppose	Oppose OS 2185.1	Reject	6.3
OS 2185.2	Falesa & Leitu Fesolai Sila	Support	Retain Rule 15.11.2 Mine Subsidence Risk Area, Restricted Discretionary Activities.	Accept	6.8
FS3020.18	Shand Properties Limited	Support	Support OS 2185.2	Accept	6.8
FS3032.31	Timberline Contracting	Oppose	Oppose OS 2185.2	Reject	6.8
OS 2185.3	Falesa & Leitu Fesolai Sila	Support	Retain Rule 15.11.3 Mine Subsidence Risk Area, Discretionary Activities.	Accept in Part	6.10
FS3020.21	Shand Properties Limited	Support	Support OS 2185.3	Accept in Part	6.10
FS3032.32	Timberline Contracting	Oppose	Oppose OS 2185.3	Accept in Part	6.10
OS 2186.1	Falesa & Leitu Fesolai Sila	Support	Retain Rule 15.11.1 Mine Subsidence Risk Area, Permitted Activities.	Accept	6.3
FS3020.16	Shand Properties Limited	Support	Support OS 2186.1	Accept	6.3
FS3032.33	Timberline Contracting	Oppose	Oppose OS 2186.1	Reject	6.3
OS 2186.2	Falesa & Leitu Fesolai Sila	Support	Retain Rule 15.11.2 Mine Subsidence Risk Area, Restricted Discretionary Activities.	Accept	6.8
FS3020.19	Shand Properties Limited	Support	Support OS 2186.2	Accept	6.8
FS3032.34	Timberline Contracting	Oppose	Oppose OS 2186.2	Reject	6.8

Submission number	Submitter	Support/ oppose	Summary of submission	Recommendation	Section of this report where the submission point is addressed
OS 2186.3	Falesa & Leitu Fesolai Sila	Support	Retain Rule 15.11.3 Mine Subsidence Risk Area, Discretionary Activities.	Accept in Part	6.10
FS3020.22	Shand Properties Limited	Support	Support OS 2186.3	Accept in Part	6.10
FS3032.35	Timberline Contracting	Oppose	Oppose OS 2186.3	Accept in Part	6.10
OS 2189.1	David Whyte on behalf of Huntly Community Board	Oppose	Amend section 15.11 Mine Subsidence Risk Area Overlay. Reduce overlay of subsidence risk modelling to align with the boundaries already identified by the Huntly Subsidence Zone.	Accept	6.14
FS3019.3	Blair Everett	Support	Support OS 2189.1	Accept	6.14
FS3020.23	Shand Properties Limited	Neutral	Neutral OS 2189.1	Accept	6.14
FS3032.36	Timberline Contracting	Support	Support OS 2189.1	Accept	6.14