# Chapter 19: Business Zone Tamahere

Proposed Waikato District Plan Stage I (Notified version)



## Contents

Chapter 19: Business Zone Tamahere	3
19.1 Land Use – Activities	3
19.1.1 Permitted Activities	3
19.1.2 Restricted Discretionary Activities	4
19.1.3 Discretionary Activities	5
19.1.4 Non-Complying Activities	5
19.2 Land Use - Effects	5
19.2.1 Noise	5
19.2.1.1 Noise – General	6
19.2.1.2 Construction noise	6
19.2.2 Servicing hours	6
19.2.3 Glare and artificial light spill	6
19.2.4 Earthworks	6
19.2.5 Hazardous Substances	7
19.2.6 Signs	7
19.3 Land Use – Buildings	8
19.3.1 Height – Building	8
19.3.2 Buildings, structures, vegetation and objects within an airport obstacle limitation surface	8
19.3.3 Daylight admission	8
19.3.4 Gross Floor Area	9
19.3.5 Gross Leasable Floor Area	9
19.3.6 Building setbacksI	0
19.4 Subdivision	0
19.4.1 Subdivision – Restricted Discretionary Activities I	0

# Chapter 19: Business Zone Tamahere

- The rules that apply to activities in the Business Zone Tamahere are contained in Rule 19.1 Land Use – Activities, Rule 19.2 Land Use – Effects and Rule 19.3 Land Use – Building.
- (2) The rules that apply to subdivision in the Business Zone Tamahere are contained in Rule 19.4.
- (3) The activity status tables and standards in the following chapters also apply to activities in the Business Zone Tamahere:
  - 14 Infrastructure and Energy;
  - 15 Natural Hazards and Climate Change (Placeholder).
- (4) The following symbols are used in the tables:
  - (a) P Permitted activity
  - (b) C Controlled activity
  - (c) RD Restricted discretionary activity
  - (d) D Discretionary activity
  - (e) NC Non-complying activity

#### 19.1 Land Use – Activities

#### **19.1.1 Permitted Activities**

- (1) The following activities are permitted activities if they meet all the following:
  - (a) Land Use Effects rules in Rule 19.2 (unless the activity rule and/or activity specific conditions identify a condition(s) that does not apply);
  - (b) Land Use Building rules in Rule 19.3 (unless the activity rule and/or activity specific conditions identify a condition(s) that does not apply);
  - (c) Activity specific conditions.

Activity		Activity specific conditions
PI	Retail activity	Nil
P2	Office	Located above ground floor level
P3	Health facility	Excluding day hospitals
P4	Commercial Activity	Nil
P5	Community facility	Nil
P6	Temporary event	<ul> <li>(a) The event occurs no more than 3 times per consecutive 12 month period;</li> <li>(b) The duration of each event is less than 72 hours;</li> <li>(c) It may operate between 7.30am and 8:30pm Monday to Sunday;</li> <li>(d) Temporary structures are: <ul> <li>(i) erected no more than 2 days before the event occurs;</li> <li>(ii) removed no more than 3 days after the end of the event;</li> </ul> </li> <li>(e) The site is returned to its previous condition no more than 3 days after the end of the event.</li> </ul>

#### **19.1.2 Restricted Discretionary Activities**

- (1) The activities listed below are restricted discretionary activities.
- (2) Discretion to grant or decline consent and impose conditions is restricted to the matters set out in the following table.

Activity	Conditions	Matters of Discretion
RDI	<ul> <li>(a) Development within the Business Zone Tamahere shall comply with the following conditions:</li> <li>(i) A Development Plan is submitted with the application for resource consent to develop within the Business Zone Tamahere; and</li> <li>(ii) Land Use – Effects in Rule 19.2; and</li> <li>(iii) Land Use - Buildings in Rule 19.3.</li> </ul>	<ul> <li>(i) Council's discretion is restricted to the following matters:</li> <li>(ii) The degree to which the development is consistent with the Tamahere Village Design Guide (Appendix 3.2.2);</li> <li>(iii) The degree to which the development is consistent with the Tamahere Village Concept Plan (Appendix 3.2.2);</li> <li>(iv) The degree to which the Development Plan addresses all the matters listed in the Tamahere Business Zone Development Plan Guideline (Appendix 3.2.3); and</li> <li>(v) Physical and visual connectivity with the Village Green and adjoining recreation reserve;</li> <li>(vi) Landscaping;</li> <li>(vii) Entrance crossings and sight lines;</li> <li>(viii)Parking capacity and location;</li> <li>(ix) Access and traffic flow within the site;</li> <li>(x) Shape, size and location of individual leasable units;</li> <li>(xi) Variation in leasable unit sizes;</li> <li>(xii) Staging of development;</li> <li>(xiii) Use of low impact design principles;</li> <li>(xiv) Stormwater and wastewater management and disposal.</li> </ul>

#### **19.1.3 Discretionary Activities**

(1) Activities listed below are discretionary activities

DI	Any permitted activity that does not comply with Rule 19.1.1.
D2	Any restriction discretionary activity that does not comply with Rule 19.1.2 RD1.

#### **19.1.4 Non-Complying Activities**

(1) Activities listed below are non-complying activities

NCI	Residential activity
NC2	An overnight <mark>health facility</mark>
NC3	Travellers' accommodation
NC5	Drive-through services
NC6	Any activity that is not listed as Permitted, Restricted Discretionary or Discretionary.

#### 19.2 Land Use - Effects

#### 19.2.1 Noise

- (1) Rules 19.2.1.1 and 19.2.1.2 provide the permitted noise levels for noise generated by land use activities.
- (2) Rule 19.2.1 Noise General provides permitted noise limits in the Business Zone Tamahere.
- (3) Rule 19.2.1.2 Noise Construction provides the noise limits for construction activities.

#### 19.2.1.1 Noise – General

PI	Noise generated by emergency generators and emergency sirens.
P2	<ul> <li>(a) Noise measured within the Business Zone Tamahere must not exceed:</li> <li>(i) 65dB (L<sub>Aeq</sub>), 7am to 11 pm every day; and</li> <li>(ii) 55dB (L<sub>Aeq</sub>), 11pm Friday to 1am Saturday; and</li> <li>(iii) 55dB (L<sub>Aeq</sub>), 11pm Saturday to 1am Sunday; and</li> <li>(iv) 45dB (L<sub>Aeq</sub>) 1am to 7am every day, and</li> <li>(v) 75dB (L<sub>Amax</sub>), 11pm to 7am every day.</li> </ul>
Р3	<ul> <li>(a) Noise measured at the notional boundary within any site in the Country Living Zone, must not exceed:</li> <li>(i) 50dB (L<sub>Aeq</sub>), 7am to 7pm every day;</li> <li>(ii) 45dB (L<sub>Aeq</sub>), 7pm to 10pm every day; and</li> <li>(iii) 40dB (L<sub>Aeq</sub>) and 65dB (L<sub>Amax</sub>), 10pm to 7am every day.</li> </ul>
P4	<ul> <li>(a) Noise levels must be measured in accordance with the requirements of NZS 6801:2008</li> <li>'Acoustics Measurement of Environmental Sound' and</li> <li>(b) Noise levels must be assessed in accordance with the requirements of NZS 6802:2008</li> <li>'Acoustic Environmental noise'.</li> </ul>
DI	Noise that does not comply with Rule 19.2.1.1 P2, P3 or P4.

#### 19.2.1.2 Construction noise

PI	<ul> <li>(a) Construction noise must meet the limits in NZS 6803:1999 (Acoustics - Construction Noise); and</li> <li>(b) Construction noise must be measured and assessed in accordance with the requirements of NZS6803:1999 'Acoustics - Construction Noise'</li> </ul>
DI	Construction noise that does not comply with Rule 19.2.1.2 PI.

#### 19.2.2 Servicing hours

PI	Loading or unloading of vehicles or receiving deliveries must not take place before 7.30am or after 8.30pm.
DI	Loading or unloading of deliveries that do not comply with Rule 19.2.2 Pl.

#### 19.2.3 Glare and artificial light spill

ΡI	Illumination from glare and artificial light spill must not exceed 10 <mark>lux</mark> measured horizontally and vertically at any other <mark>site</mark> .
DI	Illumination from glare and artificial light spill that do not comply with Rule 19.2.3 PI.

#### 19.2.4 Earthworks

ΡI	(a)	Ear	thworks within a site must meet all of the following conditions:
		(i)	Earthworks must be located more than 1.5m from a public sewer, open drain, overland flow path or other service pipe;
		(ii)	<mark>Earthworks</mark> must not exceed a volume of more than 5000m3 and an area of more than 1,000m2 within a <mark>site</mark> ;
		(iii)	The height of the resulting cut, filled areas or fill batter face in stable ground, not including any surcharge, does not exceed 1.5m, with a maximum slope of 1:2 (1 vertical to 2 horizontal);
		(iv)	Areas exposed by earthworks are re-vegetated to achieve 80% ground cover within 6 months

	of the commencement of the earthworks;
	<ul> <li>(v) Sediment resulting from the earthworks is retained on the site through implementation and maintenance of erosion and sediment controls.</li> </ul>
DI	Earthworks that do not comply with Rule 19.2.4 PI.

#### 19.2.5 Hazardous Substances

PI	<ul> <li>(a) The use, storage or disposal of any hazardous substance where:         <ul> <li>(i) The aggregate quantity of any hazardous substance of any hazard classification on a site is less than the quantity specified for the Business Zone Tamahere in Table 6.1 contained within Appendix 6 (Hazardous Substances);</li> <li>(ii) The storage or use of radioactive materials is in approved equipment for medical and diagnostic purposes, or specified as an exempt activity or article in the Radiation Safety Act and Regulations 2017.</li> </ul> </li> </ul>
DI	Any activity that does not comply with Rule 19.2.5 PI

#### 19.2.6 Signs

- (a) Rule 19.2.6.1 Signs General provides permitted standards for any sign, including real estate signs, across the entire Business Zone Tamahere.
- (b) Rule 19.2.6.2 Signs Effects on traffic apply specific standards for any sign that is directed at road users.

#### 19.2.6.1 Signs – General

	5
ΡI	A public information sign erected by a government agency.
P2	(a) Any sign must comply with all of the following conditions:
	(i) There are no more than two <mark>signs</mark> per leasable area;
	(ii) The <mark>sign</mark> is wholly contained on the <mark>site</mark> ;
	(iii) Where the <mark>sign</mark> is attached to a <mark>building,</mark> it must not exceed:
	A. An area of 2m <sup>2</sup> ; and
	B. More than 300mm from the <mark>building</mark> wall; and
	C. The <mark>height</mark> of the <mark>building</mark> ;
	(iv) Where the <mark>sign</mark> is attached to a verandah, it must:
	A. Be no deeper than 400mm; and
	B. Not obscure any notable architectural feature of a building; and
	C. Not project beyond the roof or fascia of the verandah more than 100mm in any
	direction; and
	D. Allow clearance of at least 2.5m above any pedestrian access;
	(v) Where it is a freestanding sign, it must not exceed:
	A. I.5m in <mark>height</mark> ; and
	B. An area of Im <sup>2;</sup>
	(vi) Where it is a signage wall, it must not exceed:
	A. I.2m in <mark>height;</mark> and
	B. An area of 4m <sup>2;</sup>
	(vii) Where it is an illuminated <mark>sign</mark> , it must:
	A. Not be a neon sign; and
	B. Not have a light source that flashes or moves; and
	C. Not contain moving parts or reflective materials; and
	D. Be focused to ensure it does not spill light beyond the site.
1	

P3	<ul> <li>(a) A real estate 'for sale' sign must comply with all of the following conditions: <ul> <li>(i) The sign relates to the sale of the site on which it is located;</li> <li>(ii) There is no more than 1 sign per agency;</li> <li>(iii) The sign is not illuminated;</li> <li>(iv) The sign does not contain any moving parts, fluorescent, flashing or revolving lights or reflective materials;</li> <li>(v) The sign does not project into or over road reserve.</li> </ul></li></ul>
DI	Any <mark>sign</mark> that does not comply with Rules 19.2.6.1 P2 or P3.

#### 19.2.6.2 Signs - Effects on traffic

PI	(a) Any <mark>sign</mark> directed at road users must:
	(i) Not imitate the content, colour or appearance of any traffic control sign;
	(ii) Be at least 60m from controlled intersections, pedestrian crossings and another sign;
	(iii) Not obstruct sight lines of drivers turning into or out of a site entrance and intersections;
	(iv) Contain no more than 40 characters and no more than 6 symbols;
	(v) Have lettering that is at least 150mm high; and
	(vi) Be at least 130m from a <mark>site</mark> entrance, where the <mark>sign</mark> directs traffic to the entrance.
DI	Any sign that does not comply with Rule 19.2.6.2 PI.

#### **19.2.7 Outdoor storage**

PI	(a) Outdoor storage of goods or materials must:
	(i) Not exceed a <mark>height</mark> of 2m;
	(ii) Be limited to one 25m <sup>2</sup> storage area over the entire Business Zone Tamahere site
	(iii) Be screened from view by a close boarded fence or wall to height of 1.8m from:
	A. A public road;
	B. Public reserve; and
	C. An adjoining <mark>site</mark> in another zone.
DI	Any outdoor storage area that does not comply with Rule 19.2.7 PI.

### 19.3 Land Use – Buildings

#### 19.3.1 Height – Building

PI	The maximum height of any building must not exceed 10m.
DI	Any building that does not comply with Rule 19.3.1 PI.

# 19.3.2 Buildings, structures, vegetation and objects within an airport obstacle limitation surface

PI	Any building, structure or vegetation must not protrude through any airport obstacle limitation surface as shown on the planning maps.
DI	Any building, structure or vegetation that does not comply with Rule 19.3.2 Pl.

#### 19.3.3 Daylight admission

ſ	PI	Any building must not protrude through a height control plane rising at an angle of 37 degrees
		commencing at an elevation of 2.5m above ground level at every point of the <mark>boundary</mark> of a <mark>site</mark> within
		the Business Zone Tamahere.

RDI	(a) Any building that does not comply with Rule 19.3.3 Pl.
	(b) Council's discretion is limited to the following matters:
	(i) <mark>Height</mark> of <mark>building</mark> ;
	(ii) Design and location of the <mark>building</mark> ;
	(iii) Extent of shading on adjacent <mark>sites</mark> ;
	(iv) Effects on privacy of other <mark>sites</mark> ;
	(v) Effects on amenity values of other <mark>sites</mark> .

#### 19.3.4 Gross Floor Area

PI	The total <mark>gross floor area</mark> of all <mark>buildings</mark> within the Business Zone Tamahere must not exceed 3000m <sup>2</sup> .
DI	The total gross floor area of all buildings that does not comply with Rule 19.3.4 Pl.

#### 19.3.5 Gross Leasable Floor Area

PI	<ul> <li>(a) Any individual tenancy must have a gross leasable floor area between 70m<sup>2</sup> and 350m<sup>2</sup>;</li> <li>(b) There must be no more than four individual tenancies, each with a gross leasable floor area between 250m<sup>2</sup> and 350m<sup>2</sup>.</li> </ul>
DI	Any individual tenancy that does not comply with Rule 29.3.5 PI except where Rule 29.3.5 NCI applies.
NCI	Any individual tenancy that has a gross leasable floor area over 350m <sup>2</sup> .

#### 19.3.6 Building setbacks

ΡI	(a) The <mark>building</mark> must be set back at least:
	(i) 12m from the Country Living Zone <mark>boundary</mark> ;
	(ii) 20m from any road <mark>boundary:</mark> and
	(iii) 2m from the <mark>boundary</mark> of the Recreation Zone.
DI	Any building that does not comply with Rule 19.3.6.1.

### 19.4 Subdivision

#### **19.4.1 Subdivision – Restricted Discretionary Activities**

RDI	(a)	Subdivision of individual leasable units must:
		(i) Have a Code of Compliance Certificate issued for each building included in the subdivision;
		and
		(ii) Create a Communal Management Structure in accordance with Appendix 3.2.2 for the
		ongoing use, operation, management and maintenance of land, <mark>buildings</mark> and <mark>infrastructure</mark> in
		common ownership.
	(b)	Council's discretion is restricted to the following matters:
		(i) The type and terms of the legal framework for managing and maintaining common facilities;
		(ii) Matters referred to in Appendix 3.2.3 Tamahere Business Zone - Development Plan
		Guidelines;
		(iii) Consistency with building design and individual unit layout, as shown in the previously-
		approved development plan;
		(iv) Continuation of access to common land and infrastructure;
		(v) Consistency with any staged development proposal as shown in the previously-approved
		development plan;
		(vi) Consistency with the Communal Management Structure (Appendix 3.2.2) that shows
		ownership, benefits of the common facilities, adequate funding for indefinite operation;
		(vii) Terms of the legal framework for each owner of a unit within the Communal Management
		Structure (Appendix 3.2.2).
DI	Sub	odivision that does not comply with Rule 19.4.1 RD1.