NH - Natural hazards and climate change

The relevant area specific zone chapter provisions apply in addition to this chapter.

Overview

- (I) The NH Natural hazards and climate change chapter identifies risks associated with natural hazards and manages land use in areas subject to risk from natural hazards. It identifies areas where certain types of new development will be avoided because of the natural hazards present, but also recognises that there is existing development, including infrastructure, already located on land subject to natural hazards. These areas will require management through mitigation and adaptation to ensure that the risk of damage to property, or injury or loss of lives is not increased.
- (2) This chapter sets out a two-tiered approach where natural hazard risk from subdivision, use and development is to be avoided within the following identified high risk natural hazard areas:
 - (a) High Risk Flood Area;
 - (b) High Risk Coastal Inundation Area; and
 - (c) High Risk Coastal Erosion Area.
- Outside of these areas, subdivision, use and development is provided for where natural hazard risk can be adequately avoided, remedied or mitigated and the risk is not exacerbated or transferred to adjoining sites.
- (4) The following natural hazards areas have been identified and mapped in the District Plan:

Overlay	Description		
	Flood hazards		
4.1 High flood risk area	Identifies areas within the floodplain where the depth of flood water in a 1% AEP flood event exceeds 1 metre and the speed of flood water exceeds 2 metres per second, or the flood depth multiplied by the flood speed exceeds one.		
4.2 Flood plain	Identifies the 1% Annual Exceedance Probability (AEP)		
management area	floodplain and has been developed through both ID and		
	2D modelling, depending on the level of information available.		
4.3 Flood ponding area	Identifies areas that experience floodwater ponding in a 1% AEP rainfall event.		
4.4 Residual risk areas /	Identifies areas of land that would be at risk from a		
Defended areas	natural hazard event if it were not for a structural		
	defence such as a stop bank.		
Stormwater constraints	The overlay is identified on the planning maps and		
<u>overlay</u>	includes mapped areas in 4.2 Flood plain management		
	area, 4.3 Flood ponding area, and 4.4 Defended areas. It		
	also includes new areas of 1% Annual Exceedance		
	Probability (AEP) floodplain identified. The overlay		
	contains its own Higher risk area, being areas within the		
	new floodplain that meet the description of a High flood		
	risk area.		

Coastal hazards	
High risk coastal	Identify land where there is significant risk from either
inundation area / High	coastal inundation or coastal erosion with existing sea
risk coastal erosion area	level and coastal processes.
Coastal sensitivity area	Identify land that is potentially vulnerable to either
(Erosion) / Coastal	coastal erosion or coastal inundation over a 100 year
sensitivity area	period to 2120, assuming a sea level rise of 1.0 metre.
(Inundation)	
Subsidence risk	
Mine subsidence risk area	Identifies an area where subsidence has occurred at
	Huntly due to former underground coal mining.

Objectives

NH-OI High risk natural hazards areas.

In an identified high risk natural hazards area, the risks associated with natural hazards on people, property and infrastructure from subdivision, use and development of land are avoided.

NH-O2 Areas at risk from natural hazards.

Subdivision, use and development within areas at risk from natural hazards are managed so that natural hazard risks on people, property and infrastructure are avoided, remedied or mitigated.

NH-O3 Awareness of natural hazard risks.

Ensure communities respond effectively and efficiently to natural hazards.

NH-O4 Climate change.

Communities are well-prepared to adapt to the effects of climate change.

Policies

- NH-PI New development in areas at high risk from natural hazards.
- (I) Avoid subdivision, use and new development in the following high risk natural hazard areas:
 - (a) High risk flood area;
 - (b) High risk coastal inundation area;
 - (c) High risk coastal erosion area,

where there is an increase in risk to people and property.

NH-P2 Changes to existing land use activities and development in areas at high risk from natural hazards.

In areas of High risk flood, High risk coastal erosion and High risk coastal inundation, ensure that when changes to existing land use activities and development occur, a range of risk reduction options are assessed, and development that would increase risk to people's safety, well-being and property is avoided.

NH-P3 Small scale non-habitable structures in areas subject to high risk from natural hazards.

Enable small scale accessory and farm buildings to be located within areas at high risk from natural hazards, including High risk flood, High risk coastal inundation and High risk coastal erosion, provided the risks to people, property and the environment beyond the site are managed to acceptable levels.

NH-P4 New emergency services and hospitals in areas at significant high risk from natural hazards.

Avoid locating new emergency service facilities and hospitals in areas which are at high risk from natural hazards, including High risk flood, High risk coastal inundation and High risk coastal erosion, unless, considering engineering and technical constraints or functional and operational requirements, they cannot be reasonably located elsewhere and will not increase the risk to or vulnerability of people or communities.

- NH-P5 New and upgrading of infrastructure and utilities in areas subject to high risk from natural hazards.
- (1) Enable the construction of new infrastructure, utilities and ancillary activities and upgrading of existing infrastructure and utilities, in areas at high risk from natural hazards, including High risk flood, High risk coastal inundation and High risk coastal erosion areas only where:
 - (a) The infrastructure and utilities are technically, functionally or operationally required to locate in areas subject to natural hazards, or it is not reasonably practicable to be located elsewhere; and
 - (b) Any increased risks to people, property and the environment are mitigated to the extent practicable; and
 - (c) The infrastructure and utilities are designed, maintained and managed, including provision of hazard mitigation works where appropriate, to function to the extent practicable during and after natural hazard events.
- NH-P6 Existing infrastructure and utilities in all areas subject to natural hazards.

Provide for the operation, maintenance and minor upgrading of existing infrastructure and utilities in all areas subject to natural hazards.

- NH-P7 Managing natural hazard risk generally.
- (I) Outside of high risk natural hazard areas, provide for subdivision, use and development where:
 - (a) Natural hazard risk has been appropriately identified and assessed;
 - (b) The risk can be adequately avoided, remedied or mitigated;
 - (c) The risk does not transfer to adjoining sites; and
 - (d) The risk is not exacerbated.
- NH-P8 Protection from risks of coastal hazards.

Recognise the importance of natural features and buffers, and soft hazard protection works, and prefer them wherever practicable over hard protection structures, where

new hazard mitigation measures and/or works are required to protect people, property infrastructure and the environment from the risks of coastal hazards.

NH-P9 Limitations on hard protection works for coastal hazard mitigation.

- (I) Ensure that where hard protection structures and works are proposed to protect existing development on public or privately-owned land from coastal hazards that the following is achieved:
 - (a) The structures have primarily a public and/or environmental benefit when located on public land;
 - (b) The structures are effective considering a range of coastal hazard events including the effects of climate change and the activities or development they are designed to protect;
 - (c) The economic, social and environmental benefits outweigh costs;
 - (d) Risk to people, property, infrastructure, the natural environment, historic heritage or Sites and Areas of Significance to Maaori is not transferred or increased;
 - (e) Structures are located as far landward as practicable; and
 - (f) Public access both to and along the coastal area and to the coastal marine area are provided for where the structure is located on public land
- (2) Ensure that when new hard protection structures are to be located in an area where an adaptive management strategy has been prepared to manage coastal hazards, they are consistent with that strategy.
- (3) Where adaptive management strategies have been prepared, plan change or resource consent processes should have regard to these strategies.
- NH-PIO Natural features and buffers providing natural hazard protection.
- (1) Protect, maintain and, where appropriate, enhance the integrity of natural features and buffers which provide a natural defence against the effects of natural hazards and sea level rise, including natural ponding areas, coastal dunes, intertidal areas, wetlands, waterbody margins, riparian/coastal vegetation and floodways.
- (2) Enable natural systems to adapt and respond to natural coastal processes including the effects of climate change.
- NH-PII Areas defended by stopbanks adjacent to the Waikato River.
- (I) Control subdivision, use and development in areas identified as Defended Areas adjacent to the Waikato River by:
 - (a) Assessing the potential risk of overtopping or structural failure of the stopbanks, and overwhelming of associated flood protection structures, before subdivision, use and development occurs; and
 - (b) Requiring that consideration be given to appropriate mitigation to reduce any residual risk identified to acceptable levels; and
 - (c) Ensuring that any residual risk is not transferred to neighbouring sites; and
 - (d) Recognising the functional needs and operational needs of the National Grid.

- (2) Specify minimum setbacks for buildings and earthworks from stopbanks to:
 - (a) Protect the structural integrity of the stopbanks; and
 - (b) Provide a buffer to reduce the potential risk to life and damage to property from deep and fast-flowing flood waters in the event of a breach.
- NH-PI2 New development that creates demand for new protection structures and works.

Avoid locating new subdivision, use and development in High risk flood, High risk coastal inundation and High risk coastal erosion areas where a demand or need for new structural protection works will be required to reduce the risk from natural hazards to acceptable levels.

- NH-P13 Reduce potential for flood damage to buildings located on the floodplains and flood ponding areas.
- (I) Reduce the potential for flood damage to buildings located on floodplains and flood ponding areas by ensuring that the minimum floor level of building development is above the design flood levels/ponding levels in a 1% AEP flood event, plus an allowance for freeboard, unless:
 - (a) The building is of a type that is not likely to suffer material damage during a flood; or
 - (b) The building is a small-scale addition to an existing building; or
 - (c) The risk from flooding is otherwise avoided, remedied or mitigated.
- NH-P14 Control filling of land within the 1% AEP floodplain and flood ponding areas.

Control filling of land within the 1% AEP floodplain and flood ponding areas to ensure that the potential adverse effects on flood storage capacity, overland flows, run-off volumes on surrounding properties or infrastructure, are avoided or mitigated.

- NH-PI5 Managing flood hazards through integrated catchment management.
- (I) Manage flood hazards by requiring new subdivision and development within floodplains, flood ponding areas and overland flow paths to adopt integrated catchment plan-based management methods which:
 - (a) Maintain the function of natural floodplains, wetlands and ponding areas including flood storage capacity; and
 - (b) Retain the function and capacity of overland flow paths to convey stormwater run-off; and
 - (c) Do not transfer or increase risk elsewhere within the catchment; and
 - (d) Promote best practice stormwater management with reference to the Waikato Stormwater Management Guideline and the Regional Infrastructure Technical Specifications (RITS); and
 - (e) Minimise impervious surfaces.
- NH-P16 Development in the coastal sensitivity areas.
- (I) In coastal sensitive areas, control subdivision, use and development by ensuring that the subdivision, use and development is:

- (a) Supported by a detailed site specific risk assessment, which includes measures to address the effects of climate change; and
- (b) Designed, constructed and located to minimise the level or risk to people, property and the environment.

NH-P17 Setbacks from the coast.

Avoid increasing the risk from coastal hazards by requiring new built development to be set back from the coastal edge, unless there is a functional or operational need for facilities to be located at or near the coast.

- NH-P18 Residential development and subdivision potentially subject to fire risk.
- (I) In areas assessed or identified as being potentially subject to elevated fire risk, ensure that an appropriate design and layout, including a buffer area or setback, is provided around for new residential subdivision and development, and the following matters are considered:
 - (a) Access for emergency service vehicles;
 - (b) Provision of and access to emergency firefighting water supply;
 - (c) Separation and management of vegetation (with regard to slope, aspect, management regimes and use of less flammable vegetation); and
 - (d) The design and materials of any buildings.
- NH-P19 Development on land subject to instability or subsidence.

Avoid locating new subdivision, use and development, including rezoning, on land assessed as being subject to, or likely to be subject to, instability or subsidence, unless appropriate mitigation is provided and the activity does not increase the risk to people, property or infrastructure.

- NH-P20 Development of land in the Mine subsidence risk area
- (I) On land identified within the Mine subsidence risk area, ensure that:
 - (a) An assessment by an appropriately qualified engineer occurs before subdivision, use or development takes place to confirm that the land is suitable for development; and
 - (b) Buildings are designed and constructed, and uses appropriate materials, to effectively minimise the risk of damage to the buildings from ground subsidence.
- NH-P21 Stormwater management in areas subject to risk of land instability or subsidence.
- (I) Avoid discharge of stormwater directly to ground on land that is potentially at risk of land instability or subsidence unless:
 - (a) An assessment has been undertaken by an appropriately qualified geotechnical specialist, indicating that the site is suitable for the proposed discharges; and
 - (b) Any adverse effects on the site and receiving environment can be appropriately mitigated.

NH-P22 Liquefaction susceptible land risk assessment.

- (I) On land assessed as potentially susceptible to liquefaction, ensure that:
 - (a) An assessment by a geotechnical specialist occurs before new subdivision, use or development takes place; and
 - (b) The level of assessment reflects the type and scale of the subdivision, use or development and the overall vulnerability of the activity to the effects of liquefaction; and
 - (c) The assessment confirms that the land is suitable for the proposed development.

NH-P23 Control activities on land susceptible to damage from liquefaction

Control subdivision, use and development on land assessed as being susceptible to liquefaction induced ground damage, to ensure that appropriate mitigation is provided so that the level of risk to people, property, infrastructure.

NH-P24 Natural hazard risk information.

- (I) Enable people to be informed and have access to information on the natural hazards affecting their properties and surrounding area, including through:
 - (a) Provision of Land Information Memoranda;
 - (b) Natural hazard technical information, including the projected effects of climate change, risk registers and mapping on the Council's website, the Waikato Regional Council Hazards Portal, this district plan and accompanying planning maps;
 - (c) Education, provision of information and community engagement; and
 - (d) Alignment with the work of other agencies including iwi and the Waikato Regional Council.

NH-P25 Awareness of Community Response Plans.

Improve response to and recovery from natural hazard events by encouraging community awareness and use of information and methods contained in Community Response Plans.

NH-P26 Effects of climate change on new subdivision and development.

- (I) Ensure that adequate allowances are made for the projected effects of climate change in the design and location of new subdivision and development including new urban zoning throughout the District, including undertaking assessments where relevant that provide for:
 - (a) The projected increase in rainfall intensity, as determined by national guidance, assuming a temperature increase of not less than 2.3°C by 2120;
 - (b) The projected increase in sea level, where relevant, as determined by national guidance and the best available information, but being not less than Im by 2120;

- (c) In respect to new urban zoning, stress testing under the RCP 8.5 scenario for rainfall and RCP 8.5H+ for sea level rise²;
- (d) In respect to the coastal environment, increases in storm surge, waves and wind; and
- (e) The ability for natural systems to respond and adapt to the projected changes included in (a) to (d) above.

NH-P27 Future land use planning and climate change.

- (I) Increase the ability of the community to adapt to the effects of climate change when undertaking future land use planning by:
 - (a) Ensuring the potential environmental and social costs of climate change, including effects on indigenous biodiversity (inland migration), historic heritage, Sites and areas of Significance to Maaori, mahinga kai, public health and safety, public access to the coast and waterway margins, and the built environment are addressed;
 - (b) Encouraging the incorporation of sustainable design measures within new subdivision, land use and development, including:
 - (i) Low impact, stormwater management, urban design and green infrastructure;
 - (ii) Of relocatable buildings and structures in areas potentially at risk due to sea level rise or increased flood levels;
 - (iii) Efficient water storage;
 - (iv) Provision of renewable energy generation; and
 - (v) Transferring to activities with lower greenhouse gas emissions.
 - (c) Providing ongoing monitoring of changes to the environment due to climate change; and
 - (d) Facilitating community discussion on adaptive pathways to manage the risks associated with climate change and incorporating them, where appropriate, into the district plan through plan changes.

NH-P28 Precautionary approach for dealing with uncertainty.

In areas throughout the district likely to be affected by climate change over the next 100 years, adopt a precautionary approach towards new subdivision, use and development which may have potentially significant or irreversible adverse effects, but for which there is incomplete or uncertain information.

¹ Stress testing under the RCP 8.5 scenario for rainfall, see Ministry for the Environment, 2018: Climate Change Projections for New Zealand. September 2018. Publication No. MFE 1385.

² Stress testing under the RCP 8.5H+ scenario for sea level rise, see Ministry for the Environment, 2017: Coastal Hazards and Climate Change – Guidance for Local Government. December 2017. Publication No. ME 1341.

NH-P29 Provide sufficient setbacks for new development.

- (I) Protect people, property and the environment from the projected adverse effects of climate change, including sea level rise, by providing sufficient setbacks from water bodies and the coast when assessing new development.
- (2) Ensure that, in establishing development setbacks for new development, adequate consideration is given to:
 - (a) The protection of natural ecosystems, including opportunities for the inland migration of coastal habitats;
 - (b) The vulnerability of the community;
 - (c) The maintenance and enhancement of public access to the coast and public open space;
 - (d) The requirements of infrastructure; and
 - (e) Natural hazard mitigation provision, including the protection of natural defences.

NH-P30 Assess the impact of climate change on the level of natural hazard risks.

- (1) For all new subdivision, use and development requiring rezoning or a resource consent, ensure that account is taken of the projected effects of climate change over the next 100 years when assessing any identified risks from natural hazards, and their effects on people, property, infrastructure and the environment.
- (2) Ensure that, when assessing the effects of climate change on the level of natural hazard risk in accordance with Policy NH-P30(I) above, the allowances in Policy NH-26(I)(a)-(d) are applied.
- (3) Where the assessment required by Policy NH-P30(I) indicates that natural hazards are likely to be exacerbated by climate change, ensure that subdivision and development are designed and located so that any increased and cumulative risk from natural hazards is managed to acceptable levels and any intolerable risks are avoided or reduced to tolerable or acceptable levels.

Rules

- (1) The rules in this chapter apply alongside the National Environmental Standards for Electricity Transmission 2010 (NESETA).
- (2) The rules in this chapter do not apply to:
 - (a) Any activity which is a regulated activity under the National Environmental Standards for Telecommunication Facilities 2016 (NESTF);
 - (b) Plantation forestry activities regulated under the National Environmental Standards for Plantation Forestry (NESPF).

Flood plain management area and Flood ponding area

NH-RI	Construction of a new building, or reconstruction of or an addition to an
	existing building, unless specified in Rules NH-R2 – NH-R6

Flood plain management	(I) Activity status: PER	(2) Activity status where compliance not achieved: RDIS
area and Flood ponding area across all zones	Activity-specific standards: (a) The minimum floor level is at least 0.5m above the 1% AEP flood level; and (b) Compliance with Standard NH-RI(I)(a) shall be demonstrated by a suitably qualified engineer with experience in hydrology.	Council's discretion is restricted to the following matters: (a) Assessment of risk from the 1% AEP flood event; (b) Alternative locations within the site outside of the 1% AEP floodplain or flood ponding area; (c) The type of building development proposed and whether it is likely to suffer material damage during a flood; (d) Ability to manage risk through building materials, structural or design work, engineering solutions or other appropriate measures; and (e) Other mitigation measures to reduce the potential for flood
NH-R2	Additions to an existing building that do the building by more than 15m ²	damage to buildings. es not increase the ground floor area of
Flood plain management area and Flood ponding area across all zones	(I) Activity status: PER Activity-specific standards: Nil	(2) Activity status where compliance not achieved: n/a
NH-R3 Flood plain management area and Flood ponding area across all zones	Standalone garage with a gross floor are (I) Activity status: PER Activity-specific standards: Nil	a not exceeding 40m² (2) Activity status where compliance not achieved: n/a
NH-R4 Flood plain management area and Flood ponding area across all zones	Construction of an accessory building w (I) Activity status: PER Activity-specific standards: Nil	ithout a floor (2) Activity status where compliance not achieved: n/a
NH-R5 Flood plain management area and Flood ponding area across all zones	Construction of a farm building without (I) Activity status: PER Activity-specific standards: Nil	a floor (2) Activity status where compliance not achieved: n/a

NH-R6	Construction, replacement, repair, main of utilities	tenance, minor upgrading or upgrading
Flood plain management area and Flood ponding area across all zones	(I) Activity status: PER Activity-specific standards: Nil	(2) Activity status where compliance not achieved: n/a
NH-R7	Earthworks associated with construction minor upgrading or upgrading of utilities maintenance of access tracks.	
Flood plain management area and Flood ponding area across all zones	(I) Activity status: PER Activity-specific standards: Nil	(2) Activity status where compliance not achieved: n/a
NH-R8	Earthworks to create a building platform	for residential purposes
Flood plain	(I) Activity status: PER	(2) Activity status where
management area and Flood	Activity-specific standards:	compliance not achieved: RDIS
ponding area	(a) Filling height is only to the	Council's discretion is restricted
across all	extent necessary to achieve compliance with Rule NH-	to the following matters: (a) Timing, location and scale of
zones	RI(I)(a).	earthworks;
	()(~)	(b) Adverse effects on:
		(i) Existing overland flow paths and surface drainage patterns;
		(ii) Flood storage capacity;
		(iii) Runoff volumes;
		(iv) Adjoining properties, including the transfer of risk;
		(v) Infrastructure and flood protection works;
		(vi) Consideration of soil types and potential for erosion; and
		(c) Mitigation including compensatory storage, or other flood management measures
NII DO		proposed.
NH-R9 Flood plain	Earthworks not provided for under Rule (I) Activity status: PER	(2) Activity status where
management		compliance not achieved: RDIS
area and Flood	Activity-specific standards: (a) In the GRZ – General	Council's discretion is restricted
ponding area	residential zone, MRZ1 –	to the following matters:
across all zones	Medium density residential zone 1, MRZ2 – Medium density	(a) Timing, location and scale of earthworks;
	<u>residential zone 2,</u> LLRZ – Large lot residential zone, SETZ –	(b) Adverse effects on:

	Settlement zone and RLZ – Rural lifestyle zone, a maximum volume of filling above natural ground level of 10m³ per site, and a maximum cumulative volume of filling and excavation of 20m³; or (b) In the GRUZ – General rural zone – a maximum volume of filling above natural ground level of 100m³ per site, and a maximum cumulative volume of filling and excavation of 200m³ per site; or (c) All other zones – a maximum volume of filling above natural ground level of 20m³ per site, and a maximum cumulative volume of filling and excavation of 50m³ per site; and (d) Height and depth of earthworks in all zones: (i) A maximum height of 0.2m of filling above natural ground level; and (ii) a maximum depth of excavation of 0.5m below natural ground level. Advice note: where a site is located partly within the flood plain management area or flood ponding area this rule only applies to that part of the site within the flood plain management area or flood ponding area.	(i) Existing overland flow paths and surface drainage patterns; (ii) Flood storage capacity; (iii) Runoff volumes; (iv) Adjoining properties, including the transfer of risk; (v) Infrastructure and flood protection works; (vi) Consideration of soil types and potential for erosion; and (c) Mitigation including compensatory storage, or other flood management measures proposed.
NH-RIO	Subdivision to create one or more additio	
Flood plain	allotment, access allotment or subdivision (I) Activity status: DIS	to create a reserve alloument.
management area and Flood ponding area across all zones	, ,	

High risk flood area

NH-RII	Repair, maintenance or minor upgrading of existing utilities		
High risk flood	(I) Activity status: PER	(2) Activity status where	
area across all	Activity-specific standards:	compliance not achieved: n/a	
zones	Nil.		

NH-R12	Construction, replacement or upgrading of telecommunication lines, poles, cabinets and masts/poles supporting antennas	
High risk flood	(1) Activity status: PER	(2) Activity status where
area across all		compliance not achieved: n/a
zones	Activity-specific standards: Nil.	complained not demeved. In
AUL DIS		of all anti-significants and a sale in an and
NH-RI3	Construction, replacement or upgrading supporting structures	of electricity lines, poles, cabinets, and
High risk flood	(I) Activity status: PER	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
NH-R14	Construction of an accessory building w	ithout a floor;
High risk flood	(I) Activity status: PER	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
NH-R15	Construction of a farm building without	a floor.
High risk flood	(I) Activity status: PER	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
NH-R16	New utilities not provided for in Rules N	NH-R12 or NH-R13
High risk flood	(I) Activity status: RDIS	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
	Council's discretion is restricted	
	to the following matters:	
	(a) Functional and operational	
	requirements to be located in	
	the High risk flood area;	
	(b) The adverse effects on people	
	and property from establishing	
	or upgrading the utility in the	
	High risk flood area;	
	(c) The potential for the development to	
	transfer/increase flood risk to	
	neighbouring properties;	
	(d) Consideration of alternative	
	locations;	
	(e) Consideration of the projected	
	effects of climate change;	
	(f) Any mitigation measures to	
	reduce the risk to people's	
	safety, well-being and property.	
NH-R17	Upgrading of existing utilities not provid	ed for in Rule NH-RII

High risk flood	(I) Activity status: RDIS	(2) Activity status where
area across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
	Council's discretion is restricted to the following matters:	
	(a) Functional and operational	
	requirements to be located in	
	the High risk flood area;	
	(b) The adverse effects on people	
	and property from establishing or upgrading the utility in the	
	High risk flood area;	
	(c) The potential for the	
	development to	
	transfer/increase flood risk to neighbouring properties;	
	(d) Consideration of alternative	
	locations;	
	(e) Consideration of the projected	
	effects of climate change;	
	(f) Any mitigation measures to	
	reduce the risk to people's safety, well-being and property.	
NH-R18		l lilding existing at 17 January 2022, where
	the addition does not increase the groun	
	more than 15m ² , unless provided for in	
High risk flood area across all	(I) Activity status: RDIS	(2) Activity status where compliance not achieved: n/a
zones	Activity-specific standards:	compliance not acmeved. Il/a
	Nil.	
	Council's discretion is restricted	
	to the following matters:	
	(a) The ability to manage flood risk	
	through appropriate building	
	materials, structural or design	
	l = = = = = = = = = = = = = = = = = = =	
	work or other engineering	
	work or other engineering solutions;	
	work or other engineering	
	work or other engineering solutions; (b) The setting of an appropriate floor level for the addition, taking into consideration the	
	work or other engineering solutions; (b) The setting of an appropriate floor level for the addition, taking into consideration the location of the addition and the	
	work or other engineering solutions; (b) The setting of an appropriate floor level for the addition, taking into consideration the location of the addition and the floor level of the existing	
	work or other engineering solutions; (b) The setting of an appropriate floor level for the addition, taking into consideration the location of the addition and the	
	work or other engineering solutions; (b) The setting of an appropriate floor level for the addition, taking into consideration the location of the addition and the floor level of the existing building; (c) Any mitigation measures to reduce the risk to people's	
	work or other engineering solutions; (b) The setting of an appropriate floor level for the addition, taking into consideration the location of the addition and the floor level of the existing building; (c) Any mitigation measures to reduce the risk to people's safety, well-being and property.	
NH-R19	work or other engineering solutions; (b) The setting of an appropriate floor level for the addition, taking into consideration the location of the addition and the floor level of the existing building; (c) Any mitigation measures to reduce the risk to people's safety, well-being and property. Subdivision that creates one or more additions;	. ,
NH-R19	work or other engineering solutions; (b) The setting of an appropriate floor level for the addition, taking into consideration the location of the addition and the floor level of the existing building; (c) Any mitigation measures to reduce the risk to people's safety, well-being and property. Subdivision that creates one or more additions;	ditional vacant lot(s) where: entirely outside the High risk flood area;

	(b) The additional lot(s) are partially within the High risk flood area and each additional lot(s) contains an area capable of containing a complying building platform entirely outside the High risk flood area.
	This rule does not apply to subdivision for a utility allotment, access allotment or subdivision to create a reserve allotment.
High risk flood area across all zones	(I) Activity status: DIS
NH-R20	Construction of a new building or additions to an existing building, not provided for in Rules NH-R11 – NH-R18
High risk flood area across all zones	(I) Activity status: NC
NH-R2I	Subdivision that does not comply with Rule NH-R19
	This rule does not apply to subdivision for a utility allotment, access allotment or subdivision to create a reserve allotment.
High risk flood area across all zones	(I) Activity status: NC
NH-R22	Emergency service facilities and hospitals
High risk flood area across all zones	(I) Activity status: NC

Defended area (Residual risk)

NH-R23	Activities are permitted activities within the Defended area identified on the planning maps, unless specified in Rules NH-R24 to NH-R26 below, or as otherwise specified in the relevant zone chapter or the Part 2 – District-wide matters chapters	
Defended area	(I) Activity status: PER	(2) Activity status where
across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
NH-R24	Subdivision that creates one or more additional vacant lot(s). This rule does not apply to subdivision for a utility allotment, an access allotment or subdivision to create a reserve allotment.	
Defended area	(I) Activity status: RDIS	(2) Activity status where
across all	Activity-specific standards:	compliance not achieved: n/a
zones	Nil.	
	Council's discretion is restricted to the following matters:	
	(a) The actual level of service provided by the structural defence and associated flood protection works, including any change in the level of service anticipated due to climate change and sea level rise;	

	(b) The impact of any planned
	improvements, maintenance or
	upgrading on the residual risk;
	(c) The effect of groundwater levels
	and variability in ground
	conditions on stop-bank security
	at and adjacent to the site to be
	subdivided;
	(d) The likely depth and duration of
	flooding as a result of a breach
	or overtopping event or flood
	ponding;
	(e) The location of the subdivision,
	including services such as
	wastewater, water supply and
	roading/access (including escape
	routes), in relation to potential
	breakout points (failure zone);
	(f) The adverse effects on:
	(i) People and property,
	(ii) Historic heritage and Sites
	and Areas of Significance to
	Maaori, and
	(iii) Overall vulnerability from
	potential failure or
	overwhelming of the
	structural defences and
	associated flood protection works relevant to the
	proposed new lot(s);
	(g) Potential for the development
	to transfer/increase flood
	risk/residual risk to neighbouring
	properties;
	(h) Any additional mitigation
	measures proposed or site
	features which reduce residual
	risk (e.g., natural high ground;
	evacuation plan).
NH-R25	Construction of a new building, or reconstruction of, or new accessory building,
	located within 50m of the toe of a stop-bank where the stop-bank is under the
D () ;	responsibility of the Council, the Waikato Regional Council or the Crown.
Defended area	(I) Activity status: DIS
across all	
zones	Frankrianda la secola diskin FOre efektive Control la
NH-R26	Earthworks located within 50m of the toe of a stop-bank where the stop-bank is
	under the responsibility of the Council, the Waikato Regional Council or the
	Crown.
	This rule does not apply to carthworks associated with utilities where the
	This rule does not apply to earthworks associated with utilities where the
	written approval of the authority managing the stop-bank has been obtained.

Defended area	(I) Activity status: DIS
across all	
zones	

Stormwater constraints overlay

Except for NH-R26D, these rules apply in addition to any relevant rules under the Flood plain management area, Flood ponding area, High flood risk area and Defended area.

	Ta	
NH-R26A	Residential unit	
Stormwater constraints overlay (Higher risk area) in the MRZ2	(1) Activity status: PER Where: (a) One residential unit within a site; (b) The minimum floor level is at least 0.5m above the 1% AEP flood level; and (c) buildings must be set back a minimum of: (i) 23m from the margin of any lake; (ii) 23m from the margin of any wetland; (iii) 23m from the bank of any river (other than the Waikato and the Waipa River); (iv) 28m from the margin of either the Waikato or the Waipa River.	(2) Activity status where compliance not achieved: NC
NH-R26B	Residential unit	
Stormwater constraints overlay (outside the higher risk area) in the MRZ2	(I) Activity status: PER Where: (a) One residential unit within a site; (b) The minimum floor level is at least 0.5m above the 1% AEP flood level; and (c) buildings must be set back a minimum of: (i) 23m from the margin of any lake; (ii) 23m from the margin of any wetland; (iii) 23m from the bank of any river (other than the Waikato and the Waipa River);	(2) Activity status where compliance not achieved: RDIS Council's discretion is limited to the following matters: (a) In the Waikato River Catchment the extent to which the application enhances or benefits the Waikato River and its tributaries; (b) Flooding effects including safe access and egress; (c) Stormwater management and Low Impact Design methods; (d) Effects on the landscape, ecological, cultural and recreational values of the adjacent water body;

	(iv) 28m from the margin of either the Waikato or the Waipa River.	 (e) Adequacy of erosion and sediment control measures; (f) The functional or operational need for the building to be located close to the waterbody; (g) Effects on public access to the waterbody; (h) Effects on the amenity of the locality; and (i) Effects on natural character values.
NH-R26C	Minor residential unit	
Stormwater constraints overlay in the MRZ2.	(1) Activity status: PER Where: (a) One minor residential unit contained within a site must comply with all of the following standards: (i) The net site area is 600m² or more; and (ii) The gross floor area shall not exceed 70m2; and (b) The minimum floor level is at least 0.5m above the 1% AEP flood level; and (c) buildings must be set back a minimum of: (i) 23m from the margin of any lake; (ii) 23m from the margin of any vetland; (iii) 23m from the bank of any river (other than the Waikato and the Waipa River); (iv) 28m from the margin of either the Waikato or the Waipa River.	(2) Activity status where compliance not achieved: DIS
NH-R26D	Subdivision that creates one or more var	•
Stormwater constraints overlay (excluding the Flood plain management area, Flood ponding area, and Defended	access allotment or subdivision to create (I) Activity status: RDIS Activity specific standards: (a) each vacant lot includes an area capable of containing a building platform of 8m x 15m (exclusive of yards) entirely outside the Stormwater constraints overlay	(2) Activity status where compliance not achieved: DIS

area) in the	Council's discretion is restricted	
MRZ2	to the following matters:	
	(a) Avoidance or mitigation of	
	natural hazards	
	(b) In the Waikato River	
	Catchment the extent to which the application enhances or	
	benefits the Waikato River and	
	its tributaries;	
	(c) The effectiveness of the	
	stormwater system to manage	
	flooding (including safe access	
	and egress), nuisance or damage	
	to other infrastructure, buildings	
	and sites, including the rural	
	environment;	
	(d) The capacity of the stormwater	
	system and ability to manage	
	stormwater;	
	(e) The potential for adverse effects to the environment in terms of	
	stormwater quantity and	
	stormwater quality effects; and	
	(f) Extent to which low impact	
	design principles and	
	approaches are used for	
	stormwater management.	
NH-R26E	Earthworks for two or more reside	ntial unita (avaludina a minar
INFI-RZOE	residential unit)	ncial unics (excluding a millor
	- concentration	
<u>Stormwater</u>	(I) Activity status: RDIS	(2) Activity status where
constraints	Council's discretion is restricted	compliance not achieved: DIS
overlay in the	to the following matters:	
MRZ2.	(a) Timing, location and scale of	
	<u>earthworks;</u>	
	(b) Adverse effects on:	
	(i) Existing overland flow paths	
	and surface drainage	
	patterns;	
	(ii) Flood storage capacity;	
	(iii) Runoff volumes;	
	(iv) Adjoining properties,	
	including the transfer of risk; and	
	(v) <u>Infrastructure and flood</u> <u>protection works;</u>	
	protection works,	
	(c) Consideration of soil types and	
	(c) Consideration of soil types and potential for erosion; and	

(d) Mitigation including
compensatory storage, or other
flood management measures
proposed.

Coastal sensitivity areas

NH-R27	Additions to an existing lawfully establish	ned building
Coastal	(I) Activity status: PER	(2) Activity status where
sensitivity area	Activity-specific standards:	compliance not achieved: RDIS
(Erosion) and	(a) The gross floor area of all	Council's discretion is restricted
the Coastal	additions to the building from 17	to the following matters:
sensitivity area (Inundation) across all zones	January 2022 do not exceed a total of 15m ² .	 (a) The ability to manage coastal hazard risk through appropriate building materials, structural or design work, engineering solutions, and other appropriate mitigation measures, including the ability to relocate the building; (b) The setting of minimum floor levels where appropriate; (c) The application of mitigation through natural features and buffers where appropriate;
		(d) The ability to impose time limit or triggers to determine when the building and services to be removed or relocated;
		(e) The degree to which coastal hazard risk, including the effects of climate change over a period to 2120, has been assessed in a site specific coastal hazard risk assessment;
		 (f) Suitability of the site for the proposed use, including the provision for servicing such as access, wastewater, stormwater and water supply;
		(g) Adverse effects to people and property and overall vulnerability from the establishment of the new building or additions to an existing building
		(h) Any mitigation measures to reduce risk; and
		(i) Whether there is any suitable alternative location for the activity to locate within the site

NH-R28	Construction of an accessory building w	ithout a floor
Coastal	(I) Activity status: PER	(2) Activity status where
sensitivity area	Activity-specific standards:	compliance not achieved: n/a
(Erosion) and	, · · ·	
the Coastal	Nil	
sensitivity area		
(Inundation)		
across all		
zones		
NH-R29	Construction of a farm building without	a floor
Coastal	(I) Activity status: PER	(2) Activity status where
sensitivity area	Activity-specific standards:	compliance not achieved: n/a
(Erosion) and	Nil	
the Coastal	INII	
sensitivity area		
(Inundation)		
across all		
zones		
NH-R30	Construction, upgrading, minor upgradir	• .
	of utilities excluding hard protection stru	
Coastal	(I) Activity status: PER	(2) Activity status where
sensitivity area	Activity-specific standards:	compliance not achieved: n/a
(Erosion) and	Nil	
the Coastal	1 111	
sensitivity area		
(Inundation)		
across all		
zones		
NH-R31	Maintenance or repair of an existing law	fully established hard protection
Caratal	structure	(2) A -4:-:4:
Coastal	(I) Activity status: PER	(2) Activity status where
sensitivity area	Activity-specific standards:	compliance not achieved: n/a
(Erosion) and	Nil	
the Coastal		
sensitivity area (Inundation)		
across all		
zones		
NH-R32	Construction of a new building, or recor	estruction of or additions to existing
1411-1194	buildings in the RPZ – Rangitahi Peninsul	
	_	-
	(Erosion) on a certificate of title which was created by subdivision consent	
Coastal	granted between 28 September 2015 and 17 January 2022 (1) Activity status: PER (2) Activity status where	
sensitivity area		compliance not achieved: RDIS
(Erosion) and	Activity-specific standards:	Council's discretion is restricted
the Coastal	(a) Compliance with the	
sensitivity area	requirements of any consent	to the following matters:
(Inundation)	notice for the certificate of title	(a) The ability to manage coastal
across all	pursuant to section 221 of the	hazard risk through appropriate
zones	Resource Management Act 1991	building materials, structural or
	containing specific design or	design work, engineering
	location requirements for	solutions, and other appropriate
	buildings.	mitigation measures, including

		the ability to relocate the building;
		(b) The setting of minimum floor levels where appropriate;
		(c) The application of mitigation through natural features and buffers where appropriate;
		(d) The ability to impose time limits or triggers to determine when the building and services to be removed or relocated;
		(e) The degree to which coastal hazard risk, including the effects of climate change over a period to 2120, has been assessed in a site specific coastal hazard risk assessment;
		(f) Suitability of the site for the proposed use, including the provision for servicing such as access, wastewater, stormwater, and water supply;
		(g) Adverse effects to people and property and overall vulnerability from the establishment of the new building or additions to an
		existing building
		(h) Any mitigation measures to reduce risk; and
		(i) Whether there is any suitable alternative location for the activity to locate within the site.
NH-R33	Construction of a new building or addition for in Rules NH-R27- NH-R30 and NH-	
Coastal	(I) Activity status: RDIS	(2) Activity status where
sensitivity area		compliance not achieved: n/a
(Erosion) and	Activity-specific standards:	comphance not acmered. II/a
the Coastal	Nil	
sensitivity area		
(Inundation) across all	Council's discretion is restricted to the following matters:	
zones	(a) The ability to manage coastal	
	hazard risk through appropriate	
	building materials, structural or	
	design work, engineering solutions, and other appropriate	
	mitigation measures, including the ability to relocate the	
	building;	
	(b) The setting of minimum floor levels where appropriate;	

across all zones	to the following matters: (a) Whether the vacant lot(s) are capable of containing a complying building platform entirely outside the Coastal sensitivity area (Inundation), or the Coastal sensitivity area	
(Erosion) and the Coastal sensitivity area (Inundation)	Nil Council's discretion is restricted	
Coastal sensitivity area	subdivision creating a reserve allotment (I) Activity status: RDIS Activity-specific standards:	(2) Activity status where compliance not achieved: n/a
NH-R34	Any subdivision to create any additional lot(s) are located partially or entirely wit (Inundation), Coastal sensitivity area (Ero This rule does not apply to subdivision for	thin the Coastal sensitivity area
	(i) Whether there is any suitable alternative location for the activity to locate within the site.	
	existing building (h) Any mitigation measures to reduce risk; and	
	(g) Adverse effects to people and property and overall vulnerability from the establishment of the new building or additions to an	
	(f) Suitability of the site for the proposed use, including the provision for servicing such as access, wastewater, stormwater, and water supply;	
	(e) The degree to which coastal hazard risk, including the effects of climate change over a period to 2120, has been assessed in a site specific coastal hazard risk assessment;	
	 (c) The application of mitigation through natural features and buffers where appropriate; (d) The ability to impose time limits or triggers to determine when the building and services to be removed or relocated; 	

	T (1	Г
	sensitivity area (Inundation), or	
	the Coastal sensitivity area	
	(Erosion):	
	(i) The degree to which coastal	
	hazard risk, including the	
	effects of climate change over	
	a period to 2120, has been	
	<u> </u>	
	assessed in a site specific	
	coastal hazard risk	
	assessment;	
	(ii) Suitability of the vacant lot	
	for the likely future uses,	
	including the provision for	
	servicing such as access,	
	wastewater, stormwater, and	
	water supply;	
	(iii) The degree to which	
	alternative subdivision	
	layout(s) have been	
	investigated to avoid or	
	mitigate coastal hazards;	
	(iv) Adverse effects to people,	
	property and the	
	environment and overall	
	vulnerability from the likely	
	future uses, including any	
	mitigation measures to	
	reduce risk; and	
	(v) The setting of minimum floor	
	levels in areas subject to	
	inundation.	
NH-R35		tructure or any outension to or
1411-122	Construction of a new hard protection s	•
Coastal	upgrade or replacement of an existing ha	
	(I) Activity status: RDIS	(2) Activity status where
sensitivity area	Activity-specific standards:	compliance not achieved: n/a
(Erosion) and	Nil	
the Coastal		
sensitivity area	Council's discretion is restricted	
(Inundation)	to the following matters:	
across all		
zones	(a) Whether structures have	
	primarily a public and/or	
	environmental benefit when	
	located on public land;	
	(b) The extent to which the	
	structure is effective,	
	considering a range of coastal	
	hazard events including the	
	effects of climate change and the	
	activities or development they	
	are designed to protect;	
ĺ	a. 5 -55.65- to protect,	

(c) The extent to which economic, social and environmental	
benefits outweigh costs; (d) Whether risk to people, property, infrastructure, environment, historic heritage or sites and areas of significance to Maaori is not transferred or increased;	
(e) The extent to which structures are located as far landward as practicable;	
(f) Whether public access both to and along the coastal area and to the coastal marine area are provided for where the structure is located on public land; and	
(g) Whether an adaptive management strategy has been prepared to manage coastal hazards, and whether the	
structure is consistent with that strategy.	

High risk coastal erosion area

NH-R36	Construction of an accessory building without a floor	
High risk coastal erosion area across all zones	(I) Activity status: PER Activity-specific standards: (a) The gross floor area of the building does not exceed 40m².	(2) Activity status where compliance not achieved: NC
NH-R37	Construction of a farm building without	a floor
High risk coastal erosion area across all zones	(I) Activity status: PER Activity-specific standards: (a) The gross floor area of the building does not exceed 40m².	(2) Activity status where compliance not achieved: NC
NH-R38	Repair, maintenance or minor upgrading protection structures	of existing utilities excluding hard
High risk coastal erosion area across all zones	(I) Activity status: PER Activity-specific standards: Nil.	(2) Activity status where compliance not achieved: n/a
NH-R39	Construction, operation, replacement or upgrading of telecommunications lines, poles, cabinets and masts/poles supporting antennas	
High risk coastal erosion area across all zones	(I) Activity status: PER Activity-specific standards: Nil.	(2) Activity status where compliance not achieved: n/a

NH-R40	New electricity lines, poles, cabinets and	masts/ poles supporting antennas
High risk	(I) Activity status: PER	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: n/a
erosion area	Nil.	
across all	INII.	
zones		
NH-R41	Maintenance or repair of an existing law	fully established hard protection
	structure.	,
High risk	(I) Activity status: PER	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: n/a
erosion area	Nil.	
across all		
zones	Frankrian des fan en esticita distribution die Deles	NILL DOC - NILL DAL Secole discontinue de la
NH-R42	Earthworks for an activity listed in Rules	NH-R36 – NH-R41, including the
Ligh sigh	maintenance and repair of access tracks (1) Activity status: PER	(2) Activity status whom
High risk coastal		(2) Activity status where compliance not achieved: DIS
erosion area	Activity-specific standards:	compliance not acmeved. Dis
across all	(a) The maximum volume of filling	
zones	does not exceed 10m³ per site;	
	and	
	(b) The maximum depth of any	
	excavation or filling does not	
	exceed 0.5m above or below	
	ground level.	
NH-R43	Construction of a new hard protection s	•
11:1 :1	upgrade or replacement of an existing ha	
High risk	(I) Activity status: RDIS	(2) Activity status where
coastal erosion area	Activity-specific standards:	compliance not achieved: n/a
across all	Nil	
zones		
201103	Council's discretion is restricted	
	to the following matters:	
	(a) Whether structures have	
	primarily a public and/or	
	environmental benefit when	
	located on public land;	
	(b) The extent to which the	
	structure is effective,	
	considering a range of coastal	
	hazard events including the	
	effects of climate change and the	
	activities or development they	
	are designed to protect;	
	(c) The extent to which economic,	
	social and environmental	
	benefits outweigh costs;	
	(d) Whether risk to people,	
	property, infrastructure,	
•	I amountain a little to the	
	environment, historic heritage	
	or sites and areas of significance	
	1	

	<u>, </u>
	(e) The extent to which structures are located as far landward as
	practicable;
	(f) Whether public access both to
	and along the coastal area and to
	the coastal marine area are
	provided for where the
	structure is located on public land; and
	(g) Whether an adaptive
	management strategy has been
	prepared to manage coastal
	hazards, and whether the
	structure is consistent with that
	strategy.
NH-R44	Earthworks not provided for in Rule NH-42
High risk	Activity status: DIS
coastal	
erosion area	
across all	
zones NH-R45	Delegation of an existing huilding within the same site whom the huilding is
1417-145	Relocation of an existing building within the same site where the building is relocated landward of its existing position
High risk	Activity status: DIS
coastal	,
erosion area	
across all	
zones	
NH-R46	Replacement of an existing building within the same site where:
	(a) The replacement building is located landward of the existing building that it replaces;
	(b) The replacement building is relocatable on a suspended timber floor; and
	(c) The gross floor area of the replacement building is no larger than the
	existing building that it replaces
High risk	Activity status: DIS
coastal	
erosion area	
across all	
zones NH-R47	Construction of now utilities not anguided for in Bules NUL B20 and NUL B40
	Construction of new utilities not provided for in Rules NH-R39 and NH-R40
High risk coastal	Activity status: DIS
erosion area	
across all	
zones	
NH-R48	Upgrading of existing utilities not provided for in Rules NH-R38 and NH-R39
High risk	Activity status: DIS
coastal	, , , , , , , , , , , , , , , , , , , ,
erosion area	
across all	
zones	

NH-R49	Subdivision that creates one or more additional vacant lot(s) where the additional lot(s) are partially within the High risk coastal erosion area and each additional lot(s) contains a net site area capable of containing a complying building platform entirely outside the High risk coastal erosion area.
	This rule does not apply to subdivision for a utility allotment, access allotment or subdivision to create a reserve allotment.
High risk	Activity status: DIS
coastal	
erosion area	
across all	
zones	
NH-R50	Construction of a new building or additions to an existing building, not provided for in Rules NH-R36 – NH-R40, NH-R45 – NH-R48
High risk	Activity status: NC
coastal	
erosion area	
across all	
zones	
NH-R51	Subdivision to create one or more additional lot(s) that does not comply with Rule NH-R49.
	This rule does not apply to subdivision for a utility allotment, access allotment or
	subdivision to create a reserve allotment.
High risk	Activity status: NC
coastal	
erosion area	
across all	
zones	
NH-R52	Emergency service facilities and hospitals
High risk	Activity status: NC
coastal	
erosion area	
across all	
zones	

High risk coastal inundation area

NH-R53	Construction of an accessory building without a floor	
High risk	(I) Activity status: PER	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: NC
inundation	(a) The gross floor area of the	
area across all	building does not exceed 40m ² .	
zones	<u> </u>	
NH-R54	Construction of a farm building without a floor	
High risk	(I) Activity status: PER	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: NC
inundation	(a) The gross floor area of the	
area across all	building does not exceed 40m ² .	
zones		
NH-R55	Repair, maintenance or minor upgrading of existing utilities excluding hard	
	protection structures	

High risk	(I) Activity status: PER	(2) Activity status where
coastal	· ' '	compliance not achieved: n/a
inundation	Activity-specific standards:	compliance not demoted in a
area across all	Nil.	
zones		
NH-R56	Construction, operation, replacement of poles, cabinets and masts/poles supporti	• •
High risk	(I) Activity status: PER	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: n/a
inundation	Nil.	
area across all	TVII.	
zones		
NH-R57	New electricity lines, poles, cabinets and	
High risk	(I) Activity status: PER	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: n/a
inundation	Nil.	
area across all		
zones NH-R58	Maintenance or repair of an existing law	l fully established hard protection
1411-1430	structure.	idily established hard protection
High risk	(I) Activity status: PER	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: n/a
inundation	Nil.	•
area across all	INII.	
zones		
NH-R59	Earthworks for an activity listed in Rules	NH-R53 – NH-R57, including the
	maintenance and repair of access tracks	
High risk	(I) Activity status: PER	(2) Activity status where
coastal	Activity-specific standards:	compliance not achieved: DIS
l incondation	, , , , , , , , , , , , , , , , , , ,	
inundation	(a) The maximum volume of filling	
inundation area across all zones	(a) The maximum volume of filling does not exceed 10m³ per site;	
area across all	(a) The maximum volume of filling does not exceed 10m³ per site; and	
area across all	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any 	
area across all	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not 	
area across all	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not exceed 0.5m above or below 	
area across all zones	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not exceed 0.5m above or below ground level. 	tructuro on any outcosics to an
area across all	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not exceed 0.5m above or below ground level. Construction of a new hard protection seed one of the second secon	,
area across all zones NH-R60	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not exceed 0.5m above or below ground level. Construction of a new hard protection supgrade or replacement of an existing has a sixty of the construction of a new hard protection supgrade. 	ard protection structure.
area across all zones NH-R60 High risk	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not exceed 0.5m above or below ground level. Construction of a new hard protection supgrade or replacement of an existing hard. (1) Activity status: RDIS 	ard protection structure. (2) Activity status where
area across all zones NH-R60	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not exceed 0.5m above or below ground level. Construction of a new hard protection supgrade or replacement of an existing had (1) Activity status: RDIS Activity-specific standards: 	ard protection structure.
area across all zones NH-R60 High risk coastal	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not exceed 0.5m above or below ground level. Construction of a new hard protection supgrade or replacement of an existing hard. (1) Activity status: RDIS 	ard protection structure. (2) Activity status where
area across all zones NH-R60 High risk coastal inundation	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not exceed 0.5m above or below ground level. Construction of a new hard protection supgrade or replacement of an existing has (1) Activity status: RDIS Activity-specific standards: Nil 	ard protection structure. (2) Activity status where
area across all zones NH-R60 High risk coastal inundation area across all	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not exceed 0.5m above or below ground level. Construction of a new hard protection supgrade or replacement of an existing had (1) Activity status: RDIS Activity-specific standards: 	ard protection structure. (2) Activity status where
area across all zones NH-R60 High risk coastal inundation area across all	(a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not exceed 0.5m above or below ground level. Construction of a new hard protection supgrade or replacement of an existing had (1) Activity status: RDIS Activity-specific standards: Nil Council's discretion is restricted	ard protection structure. (2) Activity status where
area across all zones NH-R60 High risk coastal inundation area across all	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not exceed 0.5m above or below ground level. Construction of a new hard protection supgrade or replacement of an existing has (1) Activity status: RDIS Activity-specific standards: Nil Council's discretion is restricted to the following matters: 	ard protection structure. (2) Activity status where
area across all zones NH-R60 High risk coastal inundation area across all	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not exceed 0.5m above or below ground level. Construction of a new hard protection supgrade or replacement of an existing has (1) Activity status: RDIS Activity-specific standards: Nil Council's discretion is restricted to the following matters: (a) Whether structures have 	ard protection structure. (2) Activity status where
area across all zones NH-R60 High risk coastal inundation area across all	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not exceed 0.5m above or below ground level. Construction of a new hard protection supgrade or replacement of an existing had (1) Activity status: RDIS Activity-specific standards: Nil Council's discretion is restricted to the following matters: (a) Whether structures have primarily a public and/or 	ard protection structure. (2) Activity status where
area across all zones NH-R60 High risk coastal inundation area across all	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not exceed 0.5m above or below ground level. Construction of a new hard protection supgrade or replacement of an existing had (1) Activity status: RDIS Activity-specific standards: Nil Council's discretion is restricted to the following matters: (a) Whether structures have primarily a public and/or environmental benefit when 	ard protection structure. (2) Activity status where
area across all zones NH-R60 High risk coastal inundation area across all	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not exceed 0.5m above or below ground level. Construction of a new hard protection supgrade or replacement of an existing has (1) Activity status: RDIS Activity-specific standards: Nil Council's discretion is restricted to the following matters: (a) Whether structures have primarily a public and/or environmental benefit when located on public land; 	ard protection structure. (2) Activity status where
area across all zones NH-R60 High risk coastal inundation area across all	 (a) The maximum volume of filling does not exceed 10m³ per site; and (b) The maximum depth of any excavation or filling does not exceed 0.5m above or below ground level. Construction of a new hard protection supgrade or replacement of an existing has (1) Activity status: RDIS Activity-specific standards: Nil Council's discretion is restricted to the following matters: (a) Whether structures have primarily a public and/or environmental benefit when located on public land; (b) The extent to which the 	ard protection structure. (2) Activity status where

	effects of climate change and the
	activities or development they
	are designed to protect;
	(c) The extent to which economic,
	social and environmental
	benefits outweigh costs;
	(d) Whether risk to people,
	property, infrastructure,
	environment, historic heritage
	or sites and areas of significance
	to Maaori is not transferred or
	increased;
	(e) The extent to which structures
	are located as far landward as
	practicable;
	(f) Whether public access both to
	and along the coastal area and to
	the coastal marine area are
	provided for where the
	structure is located on public
	land; and
	(g) Whether an adaptive
	management strategy has been
	prepared to manage coastal
	hazards, and whether the
	structure is consistent with that
	strategy.
NH-R61	Earthworks not provided for in Rule NH-59
High risk	Activity status: DIS
coastal	
inundation	
area across all	
zones	
NH-R62	Construction of new utilities not provided for in Rules NH-R56 and NH-R57
High risk	Activity status: DIS
coastal	
inundation	
area across all	
zones	
NH-R63	Upgrading of existing utilities not provided for in Rules NH-R55 and NH-R56
High risk	Activity status: DIS
coastal	
inundation	
area across all	
zones	
NH-R64	Subdivision that creates one or more additional vacant lot(s) where the
	additional lot(s) are partially within the High risk coastal inundation area and
	each additional lot(s) contains a net site area capable of containing a complying
	building platform entirely outside the High risk coastal inundation area.
	This rule does not apply to subdivision for a utility allotment, access allotment or
	subdivision to create a reserve allotment.

High risk coastal inundation area across all zones	Activity status: DIS
NH-R65	Construction of a new building or additions to an existing building, not provided for in Rules NH-R53 – NH-R57, NH-R62 – NH-R63
High risk coastal inundation area across all zones	Activity status: DIS
NH-R66	Subdivision to create one or more additional lot(s) that does not comply with Rule NH-R64 This rule does not apply to subdivision for a utility allotment, access allotment or subdivision to create a reserve allotment.
High risk coastal inundation area across all zones	Activity status: NC
NH-R67	Emergency service facilities and hospitals
High risk coastal inundation area across all zones	Activity status: NC

Mine subsidence risk area

NH-R68	Additions to an existing building	
Mine subsidence risk area across all zones	(I) Activity status: PER Activity-specific standards: (a) Additions do not increase the gross floor area of the building by more than 15m²; and (b) Additions do not result in the length of any wall of the building exceeding 20m.	(2) Activity status where compliance not achieved: RDIS Council's discretion is restricted to the following matters: (a) Construction standards and materials; (b) Suitability of the site for development; and (c) The potential effects on health and safety.
NH-R69	Standalone garage	,
Mine subsidence risk area across all zones	(I) Activity status: PER Activity-specific standards: (a) The gross floor area of the building does not exceed 55m²; and (b) The maximum length of any wall does not exceed 20m.	(2) Activity status where compliance not achieved: RDIS Council's discretion is restricted to the following matters: (a) Construction standards and materials; (b) Suitability of the site for development; and

		(c) The potential effects on health and safety.
NH-R70	Construction, replacement, repair, minor upgrading, upgrading or maintenance of utilities and associated earthworks	
Mine subsidence risk area across all zones	(I) Activity status: PER Activity-specific standards: Nil.	(2) Activity status where compliance not achieved: n/a
NH-R71	Earthworks	
Mine subsidence	(I) Activity status: PER Activity-specific standards:	(2) Activity status where compliance not achieved: RDIS
risk area across all zones	(a) The maximum volume of filling does not exceed 20m³ per site;	Council's discretion is restricted to the following matters:
201100	and (b) The maximum depth of any excavation or filling does not	(a) Location and scale of earthworks;
	exceed Im above or below ground level.	(b) Geotechnical and geological stability of the site following the completion of earthworks;(c) Risk to people and property
		from subsidence as a result of earthworks; and (d) Any other mitigation measures to reduce risk.
NH-R72	The construction or alteration of a building that is not provided for under Rule Rules NH-R68 – NH-R71 where a Consent Notice is registered against the Record of Title confirming that a geotechnical assessment has been approved at the time of subdivision and the approved geotechnical report confirms that the ground is suitable for building development and the building development is in accordance with any recommendations of the geotechnical report.	
Mine	(I) Activity status: CON	(2) Activity status where
subsidence risk area across all zones	Activity-specific standards: Nil.	compliance not achieved: n/a
Zones	Council's control is reserved to the following matters:	
	(a) The degree to which the requirements and recommendations of the geotechnical report approved at the time of subdivision have been incorporated in the building design; and	
	(b) Whether confirmation is provided from a suitably experienced and qualified geotechnical engineer that confirms the proposed building development is consistent with the recommendations and requirements of the geotechnical	

	report approved at the time of subdivision.	
NH-R73	Construction of a building, or reconstruction of, or accessory building or the reconstruction of or additions to an existing building not provided for in Rules NH-R68 – NH-R70 or NH-R72	
Mine	(I) Activity status: RDIS	(2) Activity status where
subsidence risk area across all zones	Activity-specific standards: Nil.	compliance not achieved: n/a
	Council's discretion is restricted to the following matters:	
	(a) Construction standards and materials;	
	(b) Suitability of the site for development; and	
	(c) The potential effects on health and safety.	
NH-R74	Subdivision to create one or more additional vacant lot(s) other than a utility allotment, access allotment or subdivision to create a reserve allotment	
Mine	Activity status: DIS	
subsidence		
risk area		
across all zones		

Liquefaction

NH-R75	Overview of method
All zones	 Areas in the District susceptible to liquefaction have not been identified on the planning maps as a natural hazard overlay as is the case with the other natural hazards in this chapter. Where specific land uses have already been identified as restricted discretionary activities in the activity status tables in the relevant zone, liquefaction risk has been added as a matter over which the Council will reserve its discretion, where it is considered relevant for that activity. To satisfy the requirements of sections 104 and 106 of the RMA, identification of appropriate mitigation may be required where the site and proposed development are considered vulnerable to liquefaction based on site-specific characteristics. It is expected that best practice geotechnical and engineering methods will be used to ensure that the site is suitable for the intended use. Where potential liquefaction risk is identified as a matter that the Council restricts its discretion to, the additional matters outlined in Rules NH-R76 and NH-R77 below apply where relevant.
NH-R76	Additional matters of restricted discretion for subdivision to create one or more additional vacant lots – liquefaction risk
All zones	(1) Where potential liquefaction risk is identified as a matter that the Council will restrict its discretion to in a subdivision rule elsewhere in this Plan, and where that proposal involves subdivision to create one or more additional vacant lots, the Council restricts its discretion to the following additional matters (note: these matters will also be relevant to the assessment of a discretionary or non-complying resource consent application where a potential liquefaction hazard has been identified on a site):

	(a) Geotechnical assessment and/or investigation of any potential liquefaction hazard on the site at a level sufficient to confirm the level of risk and its suitability for the proposed activity (refer to the information requirements
	in section below);
	(b) Measures proposed to mitigate the effects of liquefaction hazard if present including:
	 (i) Location, size, layout and design of allotments, structures, and building platforms, including consideration given to alternative siting away from where liquefaction risk is greatest;
	(ii) Location, timing, scale and nature of earthworks;
	(iii) Provision for ground strengthening and foundation design;
	(iv) Provision for resilient services and infrastructure, including
	wastewater, water supply, roads and access;
	(v) Setbacks in relation to waterways, waterbodies or any steep change in ground elevation, sloping ground or free face, or alternative geotechnical measures to address any identified potential for lateral spread; and
	(vi) Effects on adjoining properties.
NH-R77	Additional matters of restricted discretion for new land use (e.g., multi-unit development) – liquefaction risk
All zones	(1) Where potential liquefaction risk is identified as a matter that the Council will restrict its discretion to in a rule elsewhere in this Plan for new land use, the Council restricts its discretion to the following additional matters (note: these matters will also be relevant to the assessment of a discretionary or non-complying resource consent application where a potential liquefaction hazard has been identified on a site):
	 (a) Geotechnical assessment and/or investigation of any potential liquefaction hazard on the site at a level sufficient to confirm the level of risk and its suitability for the proposed activity (refer to the information requirements in section below);
	(b) Measures proposed to mitigate the effects of liquefaction hazard, if present, including:
	 (i) Location, size, layout and design of buildings, structures, car parking areas, access and provision for resilient infrastructure and services, including wastewater, stormwater and water supply;
	(ii) Location, timing, scale and nature of earthworks;
	(iii) Provision for ground strengthening and foundation design;
	 (iv) Setbacks in relation to waterways, waterbodies or any steep change in ground elevation, sloping ground (or free face, or alternative geotechnical measures to address any identified potential for lateral spread);
	 (v) Consideration given to ease of repair (including access to repair damaged structures) of liquefaction-induced damage; and (vi) Effects on adjoining properties.

Advice note:

Effects on archaeological sites, both recorded (identified by the New Zealand Archaeological Association) and unrecorded, are regulated under the Heritage New Zealand Pouhere Taonga Act 2014. Heritage New Zealand Pouhere Taongo must be contacted regarding development and the need to undertake an archaeological assessment to determine the need for an archaeological authority. In the event of an

accidental discovery, the Heritage New Zealand Pouhere Taonga Lower Northern Office must be contacted immediately.

Information Requirements for all resource consent applications addressing natural hazards

NH-INFOI - General

- (I) The following documents, to the extent relevant to the proposal:
 - (a) Geotechnical assessment, including identification and assessment of any potentially liquefaction prone land and land subject to slope instability;
 - (b) An assessment of natural hazard risk, including the type of natural hazards present, such as flooding, slope stability, liquefaction, subsidence and coastal hazards. The assessment shall include the level of risk and any increase in risk as a result of the proposal associated with each hazard. Where applicable, the projected effects of climate change over the period to 2120 must be included;
 - (c) Remediation and mitigation measures necessary to make the site and any proposed buildings suitable for the proposed use, such as minimum floor levels, foundation design for relocatability, and appropriate time limits and/or triggers for the removal of any building and onsite wastewater disposal systems.
- (2) Plans identifying:
 - (a) Topographical features within the site and surrounding area; and
 - (b) The location of natural hazards on all or part of the site.
- (3) Consideration of the information contained in the following stormwater catchment management plans, or any approved updated version, where relevant:
 - (a) Ngaruawahia Catchment Management Plan, March 2015;
 - (b) Tamahere Stormwater Catchment Management Plan and Report, 2011
 - (c) Port Waikato Stormwater Catchment Management Plan and Report, 2004;
 - (d) Pokeno Catchment Management Plan, 2010;
 - (e) Te Kauwhata Catchment Management Plan, 2009; or
 - (f) Tuakau Catchment Management Plan, Draft 2014.

NH-INFO2 - Liquefaction potential

- (I) For land use resource consent applications where the additional matters the Council will restrict its discretion to include liquefaction, as per Rule NH-R77, the following information is required:
 - (a) A preliminary geotechnical assessment in sufficient detail to determine:
 - (i) The liquefaction vulnerability category, being either "liquefaction damage is unlikely" or "liquefaction damage is possible", as shown in Table 4.4 in "Preliminary Document: Planning and engineering guidance for potentially liquefaction prone land Resource Management Act and Building Act aspects. Pub MfE and MBIE, September 2017"; or
 - (ii) Whether or not the site is susceptible to liquefaction using an alternative accepted method, observation, or desktop study.
 - (b) Where a "liquefaction damage is possible" category has been identified for the site as per NH-INFO2(I)(a)(i) above, or an alternative accepted method, observation or desktop study indicates that the site is susceptible to liquefaction as per NH-INFO2(I)(a)(ii) above, the assessment will be required to determine the liquefaction vulnerability in more detail, and in proportion to the scale and significance of the liquefaction hazard, and must:
 - (i) Identify any areas which require particular ground strengthening or other mitigation measures, and recommendations for such mitigation; and

- Identify areas to be excluded from built development, due to liquefaction hazard constraints (which includes lateral spread), or which require geotechnical setbacks;
 and
- (iii) Indicate options and recommended locations for the proposed activities and infrastructure recommended by the geotechnical engineer.
- (c) All geotechnical assessments in respect of liquefaction risk are to be prepared by a suitably qualified and experienced engineer with experience in geotechnical engineering or a Professional Engineering Geologist (IPENZ registered).
- (2) For subdivision consent applications that create one or more additional vacant lots as per Rule NH-R76:
 - (a) An assessment in accordance with NH-INFO2(1)(a) above will be required to be provided.
 - (b) Where a "liquefaction damage is possible" category has been identified for the site as per 15.13.2(1)(a)(i) above, or an alternative accepted method, observation, or desktop study indicates that the site is susceptible to liquefaction as per NH-INFO2(1)(a)(ii)above, the subdivision application will be required to include sufficient information and proposed measures to satisfy that liquefaction risk can be adequately avoided, remedied or mitigated, including the potential effects of lateral spread.
 - (c) Subdivision plans shall show, to the extent relevant or appropriate to the scale and significance of the liquefaction hazard identified:
 - (i) Any areas which require particular ground strengthening or other mitigation
 - (ii) Measures, and recommendations for such mitigation; and
 - (iii) Any areas which should be excluded from built development due to geotechnical constraints, or which require geotechnical setbacks; and
 - (iv) Any features of subdivision layout recommended by the geotechnical engineer, for example any recommended locations for proposed activities and other infrastructure as a result of geotechnical constraints.
 - (d) All geotechnical reports in respect of liquefaction potential are to be prepared by a suitably qualified and experienced engineer with experience in geotechnical engineering or Professional Engineering Geologist (IPENZ registered).

NH-INFO3 - RLZ - Rural lifestyle zone in Tamahere

(1) Any resource consent in relation to land located in the RLZ – Rural lifestyle zone in Tamahere will be required to include details of ponding of stormwater and overland flow paths as a result of a 1% AEP storm event (with rainfall events adjusted for climate change), as well as mitigation measures taking account of information that the Council holds in respect to the Tamahere stormwater catchment area.

NH-INFO3 - Defended areas

- (I) For any Restricted Discretionary Activity land use and subdivision applications within the Defended Area, the following information is required to the extent relevant to the scale of the proposal:
 - (a) A risk assessment, carried out by a suitably-qualified and experienced risk assessment practitioner, which identifies the nature and level of residual risk, and details of appropriate methods to further reduce residual risk, where appropriate.